



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-007-23803-00-00

Company N-10 Exploration, LLC

Well Medicine River Ranch "D" #3

Field Landis

County Barber State Kansas

Location SE SE
660' FSL / 660' FEL

Sec: 10 Twp: 34S Rge: 11W

Other Services
DIL

Permanent Datum Ground Level Elevation 1370

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 1380
D.F. 1370
G.L. 1370

Date 11/26/2011

Run Number One

Type Log CNL / CDL

Depth Driller 5102

Depth Logger 5100

Bottom Logged Interval 5079

Top Logged Interval 2500

Type Fluid In Hole Chemical

Salinity, PPM CL 6000

Density 9.1

Level Full

Max. Rec. Temp. F 127

Operating Rig Time 4 Hours

Equipment -- Location 15 Hays

Recorded By R. Barnhart

Witnessed By Tim Pierce

Borehole Record

Run No Bit From To Size Wgt. From To

One 12.25 00 269 8.625 23# 00 269

Two 7.875 269 TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Medicine Lodge, KS:
S to Gerlane Rd, E to Bethel Rd.,
S to Scott Canyon Rd., 1W past CG, N to Rig



Database File: n10hd.db
Dataset Pathname: dil/n10main
Presentation Format: cdl
Dataset Creation: Sun Nov 27 04:03:57 2011
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD









4100

4150

4200

4250

4300

4350


4400

4450

4500

4550

4600



-48

-48

-47

-47

-47

-47


-47

-47


-56

-56

-56



4650
4700
4750
4800
4850
4900
4950
5000
5050
5100



-55
-55
-54
-54
-54
-54
-54
-54
-49
-44

0 Gamma Ray 150
6 Caliper (GAPI) 16

30 Compensated Density -10
2 Bulk Density 3


15000 Line Tension 0


2.625 DGA 3.425 -0.25 Correction 0.25

Database File: n10hd.db
Dataset Pathname: dil/n10main
Presentation Format: cndlspec
Dataset Creation: Sun Nov 27 04:03:57 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS			-10	
30	Compensated Density (2.71 ma)			-10	
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension			0	







2700

2750

2800

2850







2900

2950

3000

3050






3100


3150

3200

3250

3300







3350

3400

3450

3500







3550

3600

3650

3700






3750


3800

3850

3900

3950








4000


4050

4100

4150









4450

4500

4550

4600







4650

4700

4750

4800






4850


4900

4950

5000


5050





0	Gamma Ray	150
6	Caliper (GAPI)	16

5100



30	CNLS		-10
30	Compensated Density (2.71 ma)		-10
2.625	DGA	3.425	-0.25
			Correction
10000	Line Tension		0