



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Indian Oil Company, Inc.				
	Well Stateline No. 1				
	Field Wildcat				
	County Barber	State		Kansas	
15-007-23,786-00-00	Location	NW NW NE 330' FNL & 2,310' FEL			Other Services CNL/CDL
	Sec: 13	Twp: 35S	Rge: 12W		
Permanent Datum	Ground Level	Elevation 1376		Elevation	
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum		K.B. 1387	
Drilling Measured From	Kelly Bushing			D.F. 1376	
Date	11/16/2011				
Run Number	One				
Depth Driller	5395				
Depth Logger	5384				
Bottom Logged Interval	5383				
Top Log Interval	200				
Casing Driller	13.375 @ 227				
Casing Logger	222				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity, ppm CL	9000				
Density / Viscosity	9.1	50			
pH / Fluid Loss	8.5	12.8			
Source of Sample	Flowline				
Rm @ Meas. Temp	.38 @ 58				
Rmf @ Meas. Temp	.29 @ 58				
Rmc @ Meas. Temp	.51 @ 58				
Source of Rmf / Rmc	Charts				
Rm @ BHT	.17 @ 130				
Operating Rig Time	3 Hours				
Max Rec. Temp. F	130				
Equipment Number	10				
Location	Hays				
Recorded By	J. Long				
Witnessed By	Scott Alberg				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Medicine Lodge, South to Highway 281 and Highway 2 Intersection, 1/2 South to Stubbs Road, 3/4 South,
West Into


Database File: c:\warrior\data\indian oil _stateline no. 1\indianoilcompany_stateline_1hd.db
Dataset Pathname: dil\indstock
Presentation Format: dil2in
Dataset Creation: Wed Nov 16 04:35:05 2011
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:500




0	Gamma Ray	150
-200	SP (mV)	0







0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500


































Database File: c:\warrior\data\indian oil _stateline no. 1\indianoilcompany_stateline_1hd.db
 Dataset Pathname: dil/indstck
 Presentation Format: dil
 Dataset Creation: Wed Nov 16 04:35:05 2011
 Charted by: Depth in Feet scaled 1:240





3850

3900

3950


4000


-33

-33

-33

-33






4050

4100

4150

4200




-35

-35

-34

-34




4250

4300

4350

4400

4450




-34

-34

-34

-34

-34




4500

4550

4600

4650




-33

-32

-33

-33




4700

4750

4800

4850

4900




-33

-33

-35

-34

-32




4950

5000

5050

5100




-32

-32

-33

-33




5150

5200

5250

5300





-27

-26

-26

-27



LSPD