



## Dual Compensated Porosity Log

**DIGITAL LOG (785) 625-3858**

API No.	15-039-21,141-00-00		
Company	Great Plains Energy, Inc.		
Well	Hanchera No. 1-16		
Field	Wildcat		
County	Decatur		
State	Kansas		
Location	400' FNL & 890' FWL		
Sec: 16	Twp: 1S	Rge: 27W	
Permanent Datum	Ground Level	Elevation	2576
Log Measured From	Kelly Bushing	5	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	9/9/2011	Other Services	
Run Number	Two	DIL	
Type Log	CNL / CDL	MEL	
Depth Driller	3634	Elevation	2581
Depth Logger	3635	D.F.	2576
Bottom Logged Interval	3614	G.L.	2576
Top Logged Interval	2900		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	1200		
Density	9.0		
Level	Full		
Max. Rec. Temp. F	112		
Operating Rig Time	4 Hours		
Equipment -- Location	10 Hays		
Recorded By	J. Long		
Witnessed By	Rich Bell		

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	260	8.625	24#	00	260
2	7.875	260	3634				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Oberlin, 8 East to Kinona Road (County Road 495), 10 North to 10N Road, 1 1/4 East, South Into

Database File: c:\warrior\data\great plains energy\_hanchera no. 1-16\greatplainsenergy\_hanchera\_1-16hd.db  
 Dataset Pathname: dil/gpstckml  
 Presentation Format: cdl  
 Dataset Creation: Fri Sep 09 08:44:23 2011  
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			











