



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.	15-135-25,285-00-00		
Company	H&B Petroleum Corporation		
Well	Hagelgantz No. 34-1		
Field	McCormick		
County	Ness		
Location	NE NW SE SW 1,055' FSL & 1,896' FWL		
State	Kansas		
Other Services	DIL MEI/BHCS		
Permanent Datum	Ground Level	Elevation	2146
Log Measured From	Kelly Bushing	9	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	8/26/2011	Elevation	2155
Run Number	One	D.F.	2146
Type Log	CNL / CDL	G.L.	2146
Depth Driller	4300		
Depth Logger	4300		
Bottom Logged Interval	4279		
Top Logged Interval	3400		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	8800		
Density	9.1		
Level	Full		
Max. Rec. Temp. F	119		
Operating Rig Time	4 Hours		
Equipment -- Location	10 Hays		
Recorded By	J. Long		
Witnessed By	Jim Musgrove		

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	272	8.625	24#	00	272
2	7.875	272	4300				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Alexander, 2 West to HH Road, 5 1/2 North, 2 West, 1 South, 1 1/2 East, North Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			





Database File: c:\warrior\data\h&b_hagelgantz no. 34-1\h&b_hagelgantz_34-1hd.db
 Dataset Pathname: dil/hbstck
 Presentation Format: cndlspec
 Dataset Creation: Fri Aug 26 14:25:42 2011
 Charted by: Depth in Feet scaled 1:240

