



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company H&B Petroleum Corporation		
	Well Fritz Trust No.1		
	Field		
	County	Ness	State Kansas
	Location	NW NW SW SE 1020' FSL & 2480' FEL	
15-135-25,251-00-00	Sec: 8	Twp: 18S	Rge: 21W
Permanent Datum	Ground Level	Elevation 2201	Other Services CNL/CDL MEL
Log Measured From	Kelly Bushing	12 Ft. Above Perm. Datum	K.B. 2213
Drilling Measured From	Kelly Bushing		D.F. 2201
Date	6/15/2011		
Run Number	One		
Depth Driller	4340		
Depth Logger	4341		
Bottom Logged Interval	4340		
Top Log Interval	250		
Casing Driller	8.625 @ 268		
Casing Logger	267		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	9.600		
Density / Viscosity	8.9 49		
pH / Fluid Loss	7.5 13.6		
Source of Sample	Flowline		
Rm @ Meas. Temp	.3 @ 71		
Rmf @ Meas. Temp	.23 @ 71		
Rmc @ Meas. Temp	.41 @ 71		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.18 @ 121		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	121		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desai		
Witnessed By	Kent Crisler	Al Hammersmith	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bazine, 1 1/2 E to FF Rd,
3 N, 1/2 W, N Into


Database File: c:\warrior\data\h&b_fritz trust no.1\hbhd.db
Dataset Pathname: dil/hbstk
Presentation Format: dil2in
Dataset Creation: Wed Jun 15 09:18:16 2011
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0







0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD
0
0


























Database File: c:\warrior\data\h&b_fritz trust no.1\hbhd.db
 Dataset Pathname: dil/hbstk
 Presentation Format: dil
 Dataset Creation: Wed Jun 15 09:18:16 2011
 Charted by: Depth in Feet scaled 1:240





Database File: c:\warrior\data\h&b_fritz trust no.1\hbhd.db
Dataset Pathname: dil/hbstk
Presentation Format: dil
Dataset Creation: Wed Jun 15 09:18:16 2011
Charted by: Depth in Feet scaled 1:240






3550

3600

3650

3700

3750




-31

-31

-31

-31

-31




3800

3850

3900

3950




-30

-30

-30

-30




4000

4050

4100

4150

4200




-30

-30

-30


-30

-30



4250

4300



-30

-29

LSPD