



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company American Warrior, Inc.					
15-069-20,358-00-00		Well Shadow No. 2-17					
		Field Wildcat					
		County Gray				State Kansas	
		Location SW NE SE NW 1,786' FNL & 2,297' FWL				Other Services DIL MEL	
Sec: 17		Twp: 28S		Rge: 30W			
Permanent Datum		Ground Level		Elevation 2800		Elevation	
Log Measured From		Kelly Bushing		10 Ft. Above Perm. Datum		K.B. 2810	
Drilling Measured From		Kelly Bushing				D.F. 2800	
Date		1/27/2012					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		5250					
Depth Logger		5249					
Bottom Logged Interval		5228					
Top Logged Interval		4000					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		4000					
Density		9.1					
Level		Full					
Max. Rec. Temp. F		129					
Operating Rig Time		4 Hours					
Equipment -- Location		10 Hays					
Recorded By		J. Long					
Witnessed By		Harley Sayles					
Borehole Record		Casing Record					
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	1735	8.625	24#	00	1735
2	7.875	1735	5250				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Copeland, 5 1/2 North on County Road 2 to AA Road, 1/2 East, South Into

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		

















