

LOG-TECH



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-187-21,204-00-00		
Company	White Exploration, Inc.		
Well	Black Stone "D" No. 5		
Field	Arroyo		
County	Stanton	State	Kansas
Location	990' FSL & 2310' FWL		Other Services CNL/CDL
Sec: 28	Twp: 29 S	Rge: 41 W	Elevation
Permanent Datum	Ground Level	Elevation 3403	K.B. 3414
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum	D.F. 3403
Drilling Measured From	Kelly Bushing		G.L. 3403

Date	2/17/2012		
Run Number	One		
Depth Driller	5485		
Depth Logger	5485		
Bottom Logged Interval	5484		
Top Log Interval	1600		
Casing Driller	8.625 @ 1636		
Casing Logger	1636		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	300		
Density / Viscosity	9.2 52		
pH / Fluid Loss	10.5 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.9 @ 64		
Rmf @ Meas. Temp	1.42 @ 64		
Rmc @ Meas. Temp	2.56 @ 64		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.92 @ 133		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	133		
Equipment Number	91		
Location	Hays		
Recorded By	D.Kerr		
Witnessed By	Tom Robinson		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Johnson City KS,
5 South, 2 West, 1/4 North
West Into


Database File: whiteexp_black_021712hd.db
Dataset Pathname: DIL/whtstk
Presentation Format: dil2in
Dataset Creation: Sat Feb 18 06:33:40 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500

LSPD














2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600







-94
-93
-92
-92
-91
-91
-90
-90
-90
-89
-89











4800

4850

4900

4950

5000

5050


5100

5150

5200

5250

5300



-32

-31

-31

-31

-31

-31


-31


-31

-31



-30


-30





Database File: whiteexp_black_021712hd.db
 Dataset Pathname: DIL/whtstk
 Presentation Format: dil
 Dataset Creation: Sat Feb 18 06:33:40 2012
 Charted by: Depth in Feet scaled 1:240






3100

3150

3200

3250




-33

-31

-32

-32




3300

3350

3400

3450

3500




-31

-32

-31

-30

-30




3550

3600

3650

3700




-30

-32

-32

-31




3750

3800

3850

3900




-32

-32

-33

-33




3950

4000

4050

4100

4150




-33

-32

-31

-32

-31




4200

4250

4300

4350




-32

-31

-31

-31




4400

4450

4500

4550




-30

-32

-32

-32




4600

4650

4700

4750

4800




-31

-31

-31

-32

-32




4850

4900

4950

5000




-31

-31

-31

-31





5050

5100

5150

5200






5250

5300

5350

5400

5450




-30

-30


-29

-29

-25



0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD