



Microresistivity
Log

DIGITAL LOG (785) 625-3858

API No.		Company Phillips Oil Properties, Inc.	
15-035-24457-00-00		Well Baker #5	
		Field Albright	
		County Cowley State Kansas	
		Location NW NE NE 330' FNL / 990' FEL	Other Services CNL / CDL DIL
Sec: 26 Twp: 33S Rge: 5E		Elevation	
Permanent Datum Ground Level		K.B. 1244	
Log Measured From Kelly Bushing		D.F. 1235	
Drilling Measured From Kelly Bushing		G.L. 1235	
Date	1/8/2012		
Run Number	Three		
Depth Driller	3550		
Depth Logger	3550		
Bottom Logged Interval	3549		
Top Log Interval	3000		
Casing Driller	8.625 @ 200		
Casing Logger	210		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	1300		
Density / Viscosity	9.2 40		
pH / Fluid Loss	9.5 9.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.60 @ 65		
Rmf @ Meas. Temp	1.20 @ 65		
Rmc @ Meas. Temp	2.16 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.93 @ 112		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	113		
Equipment Number	15		
Location	Hays		
Recorded By	R. Barnhart		
Witnessed By	Troy Phillips		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Winfield, KS:
6E to Co. Rd. 1, 5S to Co. Rd. 20,
3E to 181 Rd., 1S, 1 1/2W into

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



3000


3050

3100

3150

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD




-35

-35

-35

-35




3200

3250

3300

3350

3400





-35

-35

-35

-34

-34



LSPD