



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company Prospect Oil & Gas Corp.	
15-159-22,659-00-00		Well Ankerholz A No. 1	
		Field Chase-Silica	
		County Rice State Kansas	
Location		2310' FSL & 1925' FWL	
Sec: 11 Twp: 19 S Rge: 10 W		Other Services CNL/CDL DIL	
Permanent Datum Ground Level		Elevation 1744	
Log Measured From Kelly Bushing		7 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 1751 D.F. 1744 G.L. 1744	
Date		10/10/2011	
Run Number		Two	
Depth Driller		3286	
Depth Logger		3285	
Bottom Logged Interval		3284	
Top Log Interval		2500	
Casing Driller		8.625 @ 314	
Casing Logger		314	
Bit Size		7.875	
Type Fluid in Hole		Chemical	
Salinity, ppm CL		9.500	
Density / Viscosity		9.0 68	
pH / Fluid Loss		10.5 11.8	
Source of Sample		Flowline	
Rm @ Meas. Temp		.74 @ 70	
Rmf @ Meas. Temp		.56 @ 70	
Rmc @ Meas. Temp		1.0 @ 70	
Source of Rmf / Rmc		Charts	
Rm @ BHT		.47 @ 111	
Operating Rig Time		4 1/2 Hours	
Max Rec. Temp. F		111	
Equipment Number		91	
Location		Hays	
Recorded By		K. Bange	
Witnessed By		Randy Kilian	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Bushton, 2 W to 4th rd, 7 S to H rd
1 E, 1/2 S, E into


Database File: c:\warrior\data\prospect_ankerholz a no. 1\prospect101011hd.db
Dataset Pathname: dil//@00000e60
Presentation Format: micro
Dataset Creation: Mon Oct 10 15:08:05 2011
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0






2700

2750

2800

2850

2900




-32

-31

-32

-31

-31





2950

3000

3050

3100






3150

3200

3250



LSPD