



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-053-21264-00-00		
Company	Bennett & Schulte Oil Company		
Well	Zamrzla No. 34-1		
Field	Wildcat		
County	Ellsworth	State	Kansas
Location	NW - NE - SW - SE 1320' FSL & 1934' FEL		Other Services RAG
Sec: 34	Twp: 15 S	Rge: 10 W	

Permanent Datum	Ground Level	Elevation 1795	
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum	K.B. 1801
Drilling Measured From	Kelly Bushing		D.F. 1795
Date	5/29/2011		
Run Number	Two		
Depth Driller	3400		
Depth Logger	3397		
Bottom Logged Interval	3396		
Top Log Interval	2200		
Casing Driller	8.625 @ 236		
Casing Logger	228		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	4.000		
Density / Viscosity	9.3 52		
pH / Fluid Loss	8.5 8.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.10 @ 65		
Rmf @ Meas. Temp	0.83 @ 65		
Rmc @ Meas. Temp	1.49 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.65 @ 110		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	110		
Equipment Number	15		
Location	Hays		
Recorded By	B. Becker		
Witnessed By	Frank Schulte		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Wilson, Ks; 10 South to Ave N;
1 East; 1 North; 2-3/4 East; North Into


Database File: benschhd.db
Dataset Pathname: RAG/bsrag
Presentation Format: micro
Dataset Creation: Sun May 29 13:21:54 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD








2650

2700

2750

2800




-36

-36

-36

-36



2850

2900

2950


3000

-36

-36

-36

-35




3050

3100

3150

3200

3250



-35

-35

-36

-36

-36

