



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.		Company Hartman Oil Co., Inc.	
15-063-21,876-00-00		Well Jasper No. 1-32	
Field Wildcat		County Gove State Kansas	
Location 1636' FSL & 67' FWL		Other Services NONE	
Sec: 32 Twp: 15 S Rge: 29 W		Elevation	
Permanent Datum Ground Level		K.B. 2656	
Log Measured From Kelly Bushing		D.F. 2646	
Drilling Measured From Kelly Bushing		G.L. 2646	
Date	1/10/2011		
Run Number	One		
Depth Driller	4420		
Depth Logger	4417		
Bottom Logged Interval	4416		
Top Log Interval	300		
Casing Driller	8.625 @ 316		
Casing Logger	310		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	1.800		
Density / Viscosity	9.3 56		
pH / Fluid Loss	10.5 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.87 @ 50		
Rmf @ Meas. Temp	.65 @ 50		
Rmc @ Meas. Temp	1/17 @ 50		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.36 @ 122		
Operating Rig Time	2 1/2 Hours		
Max Rec. Temp. F	122		
Equipment Number	4		
Location	Hays		
Recorded By	K. Bange		
Witnessed By	Wes Hanson		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Healy, 7 N, 2 E, N into





850

900

950

1000

1050

1100

1150

1200

1250

1300

1350

-82

-83

-82

-83

-82

-82



-83


-83

-83

-82

-79





1950

2000

2050

2100

2150

2200


2250

2300

2350

2400

2450



-77

-21

-21

-85

-85

-85


-85

-82

-82

-82

-82



2500

2550

2600

2650

2700

2750


2800

2850

2900

2950

3000



-82

-82

-82

-82

-82

-81


-79

-80

-79

-79

-80



3050

3100

3150

3200

3250

3300


3350

3400

3450

3500

3550



-79

-80

-80

-75

-75

-62


-62

-61

-61

-31

-31



3600

3650

3700

3750

3800

3850


3900

3950

4000

4050

4100



-31

-30

-30

-30

-30

-30


-30

-30


-30


-29

-29



Database File: c:\warrior\data\hartman_jasper no. 1-32\hartmn011011hd.db					
Dataset Pathname: rag/hartrag					
Presentation Format: rag					
Dataset Creation: Mon Jan 10 23:38:35 2011					
Charted by: Depth in Feet scaled 1:240					
0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neutron	2160
-200	SP (mV)	0	15000	Line Tension	0
			LSPD		





Database File: c:\warrior\data\hartman_jasper no. 1-32\hartmn011011hd.db
Dataset Pathname: rag/hartrag
Presentation Format: rag
Dataset Creation: Mon Jan 10 23:38:35 2011
Charted by: Depth in Feet scaled 1:240

