



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

DUAL INDUCTION LOG

Company		PHILLIPS EXPLORATION CO., L.C.	
Well		ROSPROY #1-20	
Field		WILDCAT	
County		TREGO	
State		KANSAS	
Company		PHILLIPS EXPLORATION COMPANY, L.C.	
Well		ROSPROY #1-20	
Field		WILDCAT	
County		TREGO	
State		KANSAS	
Location:		API # : 15-195-22886-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 5' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 20 TWP 14S RGE 24W		Elevation	
1980' FSL & 1980' FWL		CDL/CNL	
		MEL	
Date		9/11/13	
Run Number		ONE	
Depth Driller		4270	
Depth Logger		4266	
Bottom Logged Interval		4264	
Top Log Interval		00	
Casing Driller		8 5/8"@217'	
Casing Logger		217	
Bit Size		7 7/8"	
Type Fluid in Hole		CHEMICAL MUD	
Density / Viscosity		9.8/48	
pH / Fluid Loss		10.0/8.8	
Source of Sample		FLOWLINE	
Rim @ Meas. Temp		.950@80F	
Rmf @ Meas. Temp		.713@80F	
Rmc @ Meas. Temp		1.14@80F	
Source of Rmf / Rmc		MEASUREMENT	
Rim @ BHT		.644@118F	
Time Circulation Stopped		2 HOURS	
Time Logger on Bottom		2:45 A.M.	
Maximum Recorded Temperature		118F	
Equipment Number		4854	
Location		HAYS, KANSAS	
Recorded By		JEFF LUEBBERS	
Witnessed By		JIM PHILLIPS	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS

WAKEENEY, KS. & I-70, 13S. ON HWY 283 TO "RD. V", 7W. TO "T", (VODA RD.) S. INTO @CORNER



NABORS

**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File: 011669ddn.db
 Dataset Pathname: pass3.4
 Presentation Format: dil2
 Dataset Creation: Wed Sep 11 04:14:54 2013 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray (GAPI) 150
 -100 SP (mV) 100


0 RLL3 (Ohm-m) 50

0 RILD (Ohm-m) 50



1000 CILD (mmho/m) 0


50 RILD X10 (Ohm-m) 500

50 RLL3 X10 (Ohm-m) 500



0
50
100
150
200
250
300
350
400





450

500

550

600

650

700



750


800

850

900

950





1000

1050

1100

1150

1200

1250


1300


1350

1400

1450

1500





1550

1600

1650

1700

1750

1800


1850


1900

1950

2000

2050





2100

2150

2200

2250

2300

2350


2400


2450

2500

2550

2600





2650

2700

2750

2800

2850

2900


2950


3000

3050

3100

3150





3200

3250

3300

3350

3400

3450


3500


3550

3600

3650

3700





3750

3800

3850

3900

3950

4000

4050

4100


4150

4200

4250

Gamma Ray (GAPI)

150



DIP 2 (Ohm m)

50

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100

0	RLL3 (Ohm-m)	50
0	RILD (Ohm-m)	50

1000	CILD (mmho/m)	0
------	---------------	---

50	RILD X10 (Ohm-m)	500
----	------------------	-----

50	RLL3 X10 (Ohm-m)	500
----	------------------	-----




**COMPLETION
& PRODUCTION
SERVICES CO.**

ANHYDRITE

Database File: 011669ddn.db
Dataset Pathname: pass3.5
Presentation Format: _dil
Dataset Creation: Wed Sep 11 04:15:43 2013 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000



1750

1800



0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000




MAIN SECTION

Database File: 011669ddn.db
Dataset Pathname: pass3.4
Presentation Format: _dil
Dataset Creation: Wed Sep 11 04:14:54 2013 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20


0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000




3300

3350

3400






3450


3500

3550

3600

3650







3700

3750

3800

3850






3900


3950

4000

4050

4100






0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

4150

4200

4250


LTD 4266



0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000





4050

4100

4150

4200





Calibration Report

Database File: 011669ddn.db
Dataset Pathname: pass3.4
Dataset Creation: Wed Sep 11 04:14:54 2013 by Calc SOC 120430

Dual Induction Calibration Report

Serial-Model: PROBE9-DILG
Surface Cal Performed: Wed Sep 11 02:02:23 2013
Downhole Cal Performed: Mon Jul 28 12:02:56 2008
After Survey Verification Performed: Mon Jul 28 12:02:56 2008

Surface Calibration

Readings				References			Results	
Loop:	Air	Loop		Air	Loop		m	b
Deep	-0.014	0.629	V	0.000	400.000	mmho/m	621.923	-12.000
Medium	0.039	0.728	V	0.000	464.000	mmho/m	640.000	-18.000
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.011	0.610	V	0.000	400.000	mmho/m	667.135	-7.256
Medium	0.005	0.712	V	0.000	464.000	mmho/m	655.677	-3.102

Downhole Calibration

Readings				References			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	14.508	388.384	mmho/m	1.000	0.000
Medium	0.000	0.000	mmho/m	166.367	504.400	mmho/m	1.000	0.000
LL3		7.500	V		1400.000	Ohm-m		
		0.000	V		20.000	Ohm-m		
		-7.200	V		4000.000	mmho-m		

After Survey Verification

Readings				Targets			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
Medium	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
LL3		1.000	Ohm-m		1.000	Ohm-m		
		0.000	Ohm-m		0.000	Ohm-m		
		1.000	mmho-m		1.000	mmho-m		

Litho Density Calibration Report
Serial: 001 Model: PRB

Master Calibration

Performed Tue May 28 08:54:22 2013

	Background	Magnesium	Aluminum	Sandstone	
Window 1	1890.3	12786.5	4236.7	13497.2	cps
Window 2	1764.1	11051.7	3765.5	11456.4	cps
Window 3	1442.8	5894.4	2376.2	5911.4	cps
Window 4	428.0	428.9	420.8	426.5	cps
Long Space	0.0	9287.6	2001.3	9692.3	cps
Short Space	3.2	3351.1	2186.8	3398.0	cps
Rho		1.7100	2.5900	1.3800	g/cc
Pe		0.0000	2.5700	1.5500	
Rib Angle	: 44.5	Rib Slope	: 0.981	Density/Spine Ratio	: 0.552
Spine Angle	: 74.5	Spine Slope	: 3.596	Spine Intercept	: -20.1

Before Survey Verification

Performed Wed Dec 31 18:00:00 1969

Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	

After Survey Verification

Performed Wed Dec 31 18:00:00 1969

Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	

Compensated Neutron Calibration Report

Serial Number: 070808
Tool Model: Probe

PRE-SURVEY VERIFICATION

Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu

POST-SURVEY VERIFICATION

Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu

Gamma Ray Calibration Report		
Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Wed Jun 12 18:25:42 2013	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3500	GAPI/cps