



Pioneer Energy Services

Gamma Ray Correlation Log

API No.

15-127-20589-00-00

Company Ventex Oil & Gas

Well Becker No. 1

Field Lost Springs Extension

County Morris State Kansas

Location

1320' FWL & 330' FNL

Other Services
Perforate
Mast Trailer

Sec: 31 Twp: 16S Rge: 5E

Permanent Datum Ground Level Elevation 1441

Log Measured From Kelly Bushing 12 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Elevation

K.B. 1453

D.F. 1441

Date 12/4/2012

Run Number One

Type Log GRCCL

Depth Driller 2475

Depth Logger 2408

Bottom Logged Interval 2403

Top Logged Interval 1950

Type Fluid In Hole Water

Salinity, PPM CL

Density

Level

Max. Rec. Temp. F 116

Operating Rig Time 1 Hour

Equipment -- Location 72 Hays

Recorded By K. Ladrikan

Witnessed By Gary Brumley

Borehole Record

Run No

Bit

From

To

Size

Wgt.

From

To

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services, Inc. 785.625.3858

Herington, KS., South to 200 Road, 1.2 East,
South Into.




Main Pass

Database File: perf.db
Dataset Pathname: ventex_Be/run1/pass9
Presentation Format: gr-ccl
Dataset Creation: Tue Dec 04 09:20:02 2012 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
0	lten (lb)	5000

5	Casing Collars	-4
		LSPD (ft/min)



1950

2000

2050

2100


Casing Collars →

-40

-39

-39

-39



2150

2200

2250

-39

-39

-38

0 Gamma Ray 150

0 lten (lb) 5000

5 Casing Collars -4

LSPD
(ft/min)