



**MIDWEST SURVEYS**  
 LOGGING - PERFORATING - CONSULTING SERVICES  
 P.O. Box 68, Osawatomie, KS 66064  
 913 / 755 - 2128

**GAMMA RAY / NEUTRON / CCL**

File No.

Company **Triple "T" Oil, LLC**  
 Well **Beckmeyer No.- 28**  
 Field **Paola - Rantoul**  
 County **Franklin** State **Kansas**

Location **2480' FSL & 1130' FEL**  
 Other Services **Perforate**

Sec. 32 Type 15s Rge. 21e  
 Perforant Datum GL Elevation NA  
 Log Measured From GL  
 Drilling Measured From GL

Date 09-26-2012  
 Run Number One  
 Depth Diller 839.0  
 Depth Logger 779.0  
 Bottom Logged Interval 778.0  
 Top Log Interval 20.0  
 Fluid Level Full

Type Fluid **Water**  
 Density / Viscosity **NA**  
 Salinity - PPM Cl **NA**  
 Max Recorded Temp **NA**  
 Estimated Cement Top **0.0**  
 Equipment No. **107** Location **Osawatimie**  
 Recorded By **Steve Wandsch**  
 Witnessed By **Lance Town**

BORE-HOLE RECORD				CASING RECORD			
RUN No.	BIT FROM	TO	SIZE	WGT.	FROM	TO	
One	9.875"	0.0	7.00"	0.0	0.0	21.0	814.7
Two	5.625"	21.0	2.875"	0.0	0.0	814.7	783.0


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :  
 Town Oilfield Services, Inc.

Database File: bekmyer28.db  
 Dataset Pathname: pass1  
 Presentation Format: gr-n-ccl  
 Dataset Creation: Wed Sep 26 12:21:26 2012 by Log SCH 111116  
 Charted by: Depth in Feet scaled 1:240



10-09-2012  
 Perforated Interval  
 736.0 - 746.0 31 Perfs  
 2" DMLRTG