



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-135-25,391-00-00

Company American Warrior, Inc.

Well Schwien #3-13

Field DeWald

County Ness State Kansas

Location 1950' FNL & 2100' FEL

Other Services
DIL

Sec: 13 Twp: 19 S Rge: 22 W

Permanent Datum Ground Level Elevation 2211
Log Measured From Kelly Bushing 6 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2217
D.F. 2211
G.L. 2211

Date

5/22/2012

Run Number

Two

Type Log

CNL / CDL

Depth Driller

4347

Depth Logger

4337

Bottom Logged Interval

4316

Top Logged Interval

3600

Type Fluid In Hole

Chemical

Salinity, PPM CL

3,300

Density

9.6

Level

Full

Max. Rec. Temp. F

121

Operating Rig Time

3 Hours

Equipment -- Location

91 Hays

Recorded By

K. Bange

Witnessed By

Jason Alm

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

1

12.25

00

223

8.625

24#

00

223

2

7.875

223

4347

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bazine (W. edge), 3 S, 1/2 W, S into

Database File: c:\warrior\data\amwar_schwien #3-13\awar052212hd.db
Dataset Pathname: dil\awstack
Presentation Format: cdl
Dataset Creation: Tue May 22 09:06:29 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			











