# LOG-TECH

(785) 625-3858

## Sector Bond / Gamma Ray CCL Log

API No. 15-127-20588-00-00

Company Ventex Energy Corp.

Well Burhoop Trust No. 1

Field Lost Springs Extension

County Morris State Kansas

Location 600' FNL & 330' FWL

Sec: 27 Twp: 16S Rge: 5E

Other Services: Mast Trailer

Elevation: K.B. 1403, D.F. , G.L. 1391

| | | |

| | |
|---|---|
| Database File: | ventex_burhooptrust1.db |
| Dataset Pathname: | sgrcbl/run1/pass4 |
| Presentation Format: | scbl02 |
| Dataset Creation: | Wed May 09 15:53:02 2012 by Log SCH 111116 |
| Charted by: | Depth in Feet scaled 1:240 |


| | | |
|---|---|---|
| 750 | TT (usec) | 70 |
| 0 | GR | 150 |
| 0 | LTEN (lb) | 2000 |


| | | |
|---|---|---|
| 0 | AMP (mV) | 100 |
| 0 | AMPx5 (mV) | 20 |


| | | |
|---|---|---|
| 0 | AMPAVG | 150 |
| 0 | AMPMAX | 150 |
| 0 | AMPMIN | 150 |
| 5 | CCL | -1 |


| | | |
|---|---|---|
| 200 | VDL | 1200 |


| | | |
|---|---|---|
| 1 | Cement Map | 8 |
| 25 | | 75 |






1200
1250
1300
1350


1400
1450
1500
1550
1600


1650
1700
1750
1800


1850
1900
1950
2000
2050


2100
2150
2200
2250


Pipe Amplitude
Average Amplitude
2300
Gamma Ray
Amplified Amplitude
Line Tension
2350
Casing Collars
Travel Time
2400
2450
LTD @ 2482
750 TT (usec) 70
0 AMP (mV) 100
0 AMPAVG 150
200 VDL 1200
1 Cement Map 8

| | | |
|---|---|---|
| 0 | GR | 150 |
| 0 | LTEN (lb) | 2000 |

| | | |
|---|---|---|
| 0 | AMPx5 (mV) | 20 |

| | | |
|---|---|---|
| 0 | AMPMAX | 150 |
| 0 | AMPMIN | 150 |
| 5 | CCL | -1 |

25 75

# LOG-TECH

# Repeat Section

Database File: ventex_burhooptrust1.db
Dataset Pathname: sgrcbl/run1/pass3
Presentation Format: scbl02
Dataset Creation: Wed May 09 15:48:42 2012 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240


| | | |
|---|---|---|
| 750 | TT (usec) | 70 |
| 0 | GR | 150 |
| 0 | LTEN (lb) | 2000 |


| | | |
|---|---|---|
| 0 | AMP (mV) | 100 |
| 0 | AMPx5 (mV) | 20 |

| | | |
|---|---|---|
| 0 | AMPAVG | 150 |
| 0 | AMPMAX | 150 |
| 0 | AMPMIN | 150 |
| 5 | CCL | -1 |

200 VDL 1200

1 Cement Map 8
25 75




2450
750 TT (usec) 70
0 GR 150
0 LTEN (lb) 2000
0 AMP (mV) 100
0 AMPx5 (mV) 20
0 AMPAVG 150
0 AMPMAX 150
0 AMPMIN 150
5 CCL -1
200 VDL 1200
1 Cement Map 8
25 75