



(785) 625-3858

Sector Bond / Gamma Ray
CCL Log

API No.

15-127-20587-00-00

Company Ventex Energy Corp.

Well Mills Trust No. 1

Field Lost Springs Extension

County Morris State Kansas

Location

2310' FSL & 220' FEL

Other Services
Mast Trailer

Sec: 29 Twp: 16S Rge: 5W

Permanent Datum Ground Level Elevation 1482
Log Measured From Kelly Bushing 12 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing
K.B. 1494
D.F. 1482
G.L. 1482

Run Number

One

Date Survey

5/9/2012

Date Cementing

4/26/2012

Type Cementing Operation

Primary

Depth Driller

2660

Depth Logger

2583

Logged Interval

2581 to 150

Casing Driller

5.5 @ T.D.

Float Collar -- D.V. Tool

|||||

Squeeze Depth

|||||

Amount & Type Cement

|||||

Amount & Type Admix

|||||

Type Fluid In Hole

Water

Fluid Level

Full

Salinity PPM CL

|||||

Weight lb/gal -- Vis.

|||||

Approx. Logged Cement Top

500

Calculated Cement Top

|||||

Max. Hole Temperature

98

Tool No.

R-1

Spacing Recorded

3-5

Equipment -- Location

72

Recorded By

K. Ladigan

Witnessed By

Gary Brumley

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using LOG TECH, INC. 785.625.3858


Herington, KS., 3 South to 200 Road, East to 3000 Road, .5 North,
West Into.





Main Pass


Database File: ventex_millstrust1.db
Dataset Pathname: grcbl/run1/pass3.1
Presentation Format: scbl02
Dataset Creation: Wed May 09 10:53:21 2012
Charted by: Depth in Feet scaled 1:240

750	TT (usec)	70	0	AMP (mV)	100	0	AMPAVG	150	200	VDL	1200	1	Cement Map	8
0	GR	150	0	AMPx5 (mV)	20	0	AMPMAX	150				25		75
0	LTEN (lb)	2000				0	AMPMIN	150						
						5	CCL	-1						












800

850

900

950








1000


1050

1100

1150

1200








1250

1300

1350

1400










1450


1500

1550

1600












1900


1950


2000

2050









LOG-TECH

Repeat Section

Database File: vertex_millstrust1.db
 Dataset Pathname: grcbl/run1/pass2
 Presentation Format: scbl02
 Dataset Creation: Wed May 09 09:00:58 2012 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240

750	TT (usec)	70	0	AMP (mV)	100	0	AMPAVG	150	200	VDL	1200	1	Cement Map	8
0	GR	150	0	AMPx5 (mV)	20	0	AMPMAX	150				25		75
0	LTEN (lb)	2000				0	AMPMIN	150						
						5	CCL	-1						

