



Sector Bond / Gamma Ray
CCL Log

(785) 625-3858

API No.		Company Ventex Energy Corp.	
15-127-20589-00-00		Well Becker No. 1	
Location		Field Lost Springs Extension	
Sec: 31 Twp: 16S Rge: 5E		County Morris State Kansas	
Permanent Datum Ground Level Elevation 1441		Other Services Mast Trailer	
Log Measured From Kelly Bushing 12 Ft. Above Perm. Datum		K.B. 1453	
Drilling Measured From Kelly Bushing		D.F. 1441	
Run Number		One	
Date Survey		5/9/2012	
Date Cementing		4/19/2012	
Type Cementing Operation		Primary	
Depth Driller		2475	
Depth Logger		2408	
Logged Interval		2406 to 1000	
Casing Driller		5.5 @ T.D.	
Float Collar -- D.V. Tool			
Squeeze Depth			
Amount & Type Cement			
Amount & Type Admix			
Type Fluid In Hole		Water	
Fluid Level		Full	
Salinity PPM CL			
Weight lb/gal -- Vis.			
Approx. Logged Cement Top		830	
Calculated Cement Top			
Max. Hole Temperature		116	
Tool No.		R-1	
Spacing Recorded		3-5	
Equipment -- Location		72 Hays	
Recorded By		K. Ladigan	
Witnessed By		Gary Brumley	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using LOG TECH, INC. 785.625.3858


Herington, KS., 3 South to 200 Road, 1.2 East
South Into.




Main Pass

Database File: ventex_becker1.db
Dataset Pathname: sgrcbl/run1/pass4
Presentation Format: scbl02
Dataset Creation: Wed May 09 13:12:57 2012 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

750	TT (usec)	70	0	AMP (mV)	100	0	AMPAVG	150	200	VDL	1200	1	Cement Map	8
0	GR	150	0	AMPx5 (mV)	20	0	AMPMAX	150				25		75
0	LTEN (lb)	2000				0	AMPMIN	150						
						5	CCL	-1						










1200

1250

1300

1350








1400


1450

1500

1550

1600








1650


1700


1750

1800










LOG-TECH 

Repeat Section


Database File: vertex_becker1.db
 Dataset Pathname: sgrcbl/run1/pass3
 Presentation Format: scbl02
 Dataset Creation: Wed May 09 13:07:41 2012 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240



0 LTEN (lb) 2000

0 AMPMIN 150

5 CCL -1



2200

2250

2300

2350

2400

