



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-057-20810-00-00

Company American Warrior, Inc.

Well Linlor "A" #6

Field Konda Southeast

County Ford State Kansas

Location

NE SW SW SE
425' FSL / 2300' FEL

Other Services
DIL/MEL

Sec: 14

Twp: 27S

Rge: 22W

Permanent Datum Ground Level Elevation 2411

Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum

K.B. 2421
D.F. 2411
G.L. 2411

Date

6/10/2012

Run Number

One

Type Log

CNL / CDL

Depth Driller

5135

Depth Logger

5132

Bottom Logged Interval

5111

Top Logged Interval

3900

Type Fluid In Hole

Chemical

Salinity, PPM CL

6800

Density

9.1

Level

Full

Max. Rec. Temp. F

127

Operating Rig Time

4 Hours

Equipment -- Location

15 Hays

Recorded By

R. Barnhart

Witnessed By

Keith Reavis

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

742

8.625

23#

00

742

Two

7.875

742

TD

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Ford, KS:
2N to Blktop, 1/2E, 2N,
2 1/2E, N into

Database File: amwarhd.db
Dataset Pathname: dil/amwmain
Presentation Format: cdl
Dataset Creation: Sun Jun 10 04:27:10 2012
Charted by: Depth in Feet scaled 1:600







Database File: amwarhd.db
Dataset Pathname: dil/amwmain
Presentation Format: cndlspec
Dataset Creation: Sun Jun 10 04:27:10 2012
Charted by: Depth in Feet scaled 1:240

