



SUPERIOR
Hays,
Kansas

MICRO LOG

Company	KANSAS OIL RESOURCES, LLC.		
Well	PFEIFER #1		
Field	I-70		
County	ELLIS		
State	KANSAS		
Company	KANSAS OIL RESOURCES		
Well	PFEIFER #1		
Field	I-70		
County	ELLIS		
State	KANSAS		
Location:	API # : 15-051-26112-0000		Other Services CDL/CNL DIL
	1153' FNL & 370' FWL SE - SW - NW - NW		
Permanent Datum	GROUND LEVEL		Elevation K.B. 2087 D.F. 2085 G.L. 2077
Log Measured From	KELLY BUSHING 10' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	3/17/11		
Run Number	TWO		
Depth Driller	3800		
Depth Logger	3801		
Bottom Logged Interval	3799		
Top Log Interval	3000		
Casing Driller	8 5/8" @ 223		
Casing Logger	224		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 6100 PPM	
Density / Viscosity	9.3/48		
pH / Fluid Loss	10.5/8.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.60 @ 80F		
Rmf @ Meas. Temp	.45 @ 80F		
Rmc @ Meas. Temp	.72 @ 80F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.42 @ 113F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	113F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	DALE CHRYSLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
I-70 & YOCEMENTO - 1/2 N. - 1 E. - 1/4 S. - E. INTO





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 006791ddn.db
 Dataset Pathname: pass6.1
 Presentation Format: _micro
 Dataset Creation: Fri Mar 18 01:30:22 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		







3200

3250

3300

3350






3400


3450

3500

3550

3600









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 006791ddn.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Fri Mar 18 01:01:14 2011 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 006791ddn.db
Dataset Pathname: pass6.1
Dataset Creation: Fri Mar 18 01:30:22 2011 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number: MICRO6
Tool Model: PROBE
Performed: Mon Feb 21 21:46:51 2011

Caliper Calibration: Gain=5.211 Offset=1.160
References Low Cal High Cal
8.000 14.000
Readings 1.178 2.330

1.5" Calibration: Gain=35.000 Offset=-0.650
References Low Cal High Cal
0.000 20.000
Readings 0.008 1.200

2" Calibration: Gain=32.000 Offset=0.000
References Low Cal High Cal
0.000 20.000
Readings 0.008 0.888

Gamma Ray Calibration Report

Serial Number: #8
Tool Model: OPEN
Performed: Fri Feb 18 03:07:29 2011

Calibrator Value: 150.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 175.0 cps

Sensitivity: 0.8971 GAPI/cps