



SUPERIOR
Hays,
Kansas

SONIC LOG

Company	BECK OIL CORPORATION		
Well	SPRING CREEK RANCH #1		
Field			
County	NORTON	State	KANSAS
Location:	API # : 15-137-20572		Other Services CDL/CDL MICRO/DIL
664' FSL & 795' FWL			
SEC 12 TWP 3S RGE 22W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2376
Log Measured From	KELLY BUSHING 5' A.G.L.	K.B. 2381	D.F.
Drilling Measured From	KELLY BUSHING	G.L. 2376	
Date	7-16-11		
Run Number	TW0		
Depth Driller	4050		
Depth Logger	4050		
Bottom Logged Interval	4042		
Top Log Interval	250		
Casing Driller	262		
Casing Logger	262		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 44		
pH / Fluid Loss	9.5 / 8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.20 @ 90F		
Rmf @ Meas. Temp	0.90 @ 90F		
Rmc @ Meas. Temp	1.44 @ 90F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.650 @ 115F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	6:45 A.M.		
Maximum Recorded Temperature	115F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	RICHARD BELL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: PHILLIPSBURG, W TO RD. #E7, 2S E INTO.



SUPERIOR


Hays,
Kansas


MAIN SECTION

Database File: 007331ddn.db
Dataset Pathname: pass5
Presentation Format: slt
Dataset Creation: Sat Jul 16 09:16:39 2011 by Log Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	MELCAL (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3) 10				







450


500

550

600










900


950


1000

1050











1550


1600

1650

1700









2000

2050

2100

2150







2200


2250

2300

2350









2650


2700

2750

2800









3100


3150

3200

3250








3500



3550


3600

3650

3700







SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 007331ddn.db
 Dataset Pathname: pass41
 Presentation Format: slt
 Dataset Creation: Sat Jul 16 09:53:01 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

