



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company BECK OIL CORPORATION
Well SPRING CREEK RANCH #1
Field
County NORTON
State KANSAS

Company BECK OIL CORPORATION
Well SPRING CREEK RANCH #1
Field
County NORTON State KANSAS

Location: API # : 15-137-20572
664' FSL & 795' FWL
SEC 12 TWP 3S RGE 22W
Permanent Datum GROUND LEVEL Elevation 2376
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CDL
SONIC/DIL
Elevation
K.B. 2381
D.F.
G.L. 2376

Date	7-16-11		
Run Number	TW0		
Depth Driller	4050		
Depth Logger	4050		
Bottom Logged Interval	4032		
Top Log Interval	3300		
Casing Driller	262		
Casing Logger	262		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 44		
pH / Fluid Loss	9.5 / 8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.20 @ 90F		
Rmf @ Meas. Temp	0.90 @ 90F		
Rmc @ Meas. Temp	1.44 @ 90F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.650 @ 115F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	6:45 A.M.		
Maximum Recorded Temperature	115F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	RICHARD BELL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: PHILLIPSBURG, W TO RD. #E7, 2S E INTO.




SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: 007331ddn.db
Dataset Pathname: pass5
Presentation Format: micro
Dataset Creation: Sat Jul 16 09:16:39 2011 by Log Open-Cased 090629
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	40
0	MEL2.0 (Ohm-m)	40











SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 007331ddn.db
 Dataset Pathname: pass41
 Presentation Format: micro
 Dataset Creation: Sat Jul 16 09:53:01 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240





6 MELCAL (in) 16
0 MINMK 20



3800
3850
3900
3950
4000

0 MEL2.0 (Ohm-m) 40





Calibration Report

Database File: 007331ddn.db
 Dataset Pathname: pass41
 Dataset Creation: Sat Jul 16 09:53:01 2011 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number:	Micro1	
Tool Model:	ProbeL	
Performed:	Thu Jul 14 15:34:15 2011	
Caliper Calibration:	Gain=2.754	Offset=-1.205
References	Low Cal	High Cal
Readings	7.700	13.000
	3.233	5.157
1.5" Calibration:	Gain=39.000	Offset=0.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.003	0.844
2" Calibration:	Gain=28.000	Offset=0.400
References	Low Cal	High Cal
Readings	0.000	20.000
	0.028	0.817

Gamma Ray Calibration Report

Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Sat Jul 16 06:38:52 2011	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.6500	GAPI/cps