




<<< Fold Here >>>



Comments


MAIN SECTION

Database File: 408767ddn.db
Dataset Pathname: pass6.3
Presentation Format: micro
Dataset Creation: Mon May 14 22:51:48 2012
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			








3200


3250

3300

3350

3400







3450

3500

3550

3600





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINIMAX	20	TBLV			

MINMK	20	TBHV	0 (ft3) 10
-------	----	------	------------





SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 408767ddn.db
Dataset Pathname: pass5.4
Presentation Format: micro
Dataset Creation: Mon May 14 22:12:14 2012 by Calc Open-Cased 110302
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			





Calibration Report

Database File: 408767ddn.db
Dataset Pathname: pass6.3
Dataset Creation: Mon May 14 22:51:48 2012

MICRO Calibration Report

Serial Number: 2
Tool Model: PROBE
Performed: Sun May 06 17:24:29 2012

Caliper Calibration: Gain=4.105 Offset=3.360

	Low Cal	High Cal
References	8.000	15.000
Readings	1.130	2.835

1.5" Calibration: Gain=25.000 Offset=-0.700

	Low Cal	High Cal
References	0.000	20.000
Readings	0.065	1.210

2" Calibration: Gain=55.000 Offset=-1.400

	Low Cal	High Cal
References	0.000	20.000
Readings	0.012	1.043

Serial Number:	GR4	
Tool Model:	OPEN	
Performed:	Mon May 14 22:09:22 2012	
Calibrator Value:	200.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	189.0	cps
Sensitivity:	1.2500	GAPI/cps