



DIGITAL LOG (785) 625-3858

Dual Induction Log

15-115-21,429-00-00

API No.

Company Drillers & Producers

Well Berry #5

Field Peabody

County Marion State

Kansas

Location 351' FNL & 1861' FWL

Other Services CNL/CDL

Sec: 9 Twp: 22 S Rge: 4 E

Permanent Datum Ground Level Elevation 1439

Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum

Elevation K.B. 1448 D.F. G.L. 1439

Drilling Measured From Kelly Bushing

Date

5/04/2012

Run Number

One

Depth Driller

2550

Depth Logger

2549

Bottom Logged Interval

2548

Top Log Interval

00

Casing Driller

8.625 @ 210

Casing Logger

210

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity,ppm CL

1,200

Density / Viscosity

9.2 36

pH / Fluid Loss

9.0 10.2

Source of Sample

Flowline

Rm @ Meas. Temp

1.1 @ 70

Rmf @ Meas. Temp

.83 @ 70

Rmc @ Meas. Temp

1.49 @ 70

Source of Rmf / Rmc

Charts

Rm @ BHT

.74 @ 104

Operating Rig Time

3 Hours



Max Rec. Temp. F



104


0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0


LSPD









1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550






1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100



-27
-25
-27
-27
-27
-27
-27
-27
-27
-27
-27






Database File: c:\warrior\data\drillers & producers_berry #5\drill&productrs050412hd.db
 Dataset Pathname: dil/dpstack
 Presentation Format: dil
 Dataset Creation: Fri May 04 13:05:26 2012

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD






1700

1750

1800

1850

1900




-27

-27

-27

-27

-27




1950

2000

2050

2100




-27

-27

-27

-27




2150

2200

2250

2300





-26

-26

-26

-26



-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD