

# LOG-TECH



DIGITAL LOG (785) 625-3858

## Dual Compensated Porosity Log

API No. 15-015-23,936-00-00

Company **Vess Oil Corporation**  
 Well **Mills A No. 40**  
 Field **EI Dorado**  
 County **Butler** State **Kansas**

Location **E2 SE SW  
660' FSL & 2310' FWL**

Sec: **22** Twp: **25 S** Rge: **5 E**

Other Services  
DIL/MEL

Permanent Datum **Ground Level** Elevation **1340**  
 Log Measured From **Kelly Bushing** 6 Ft. Above Perm. Datum  
 Drilling Measured From **Kelly Bushing**

K.B. 1346  
 D.F. 1340  
 G.L. 1340

Date **4/27/2012**

Run Number **One**

Type Log **CNL / CDL**

Depth Driller **2520**

Depth Logger **2520**

Bottom Logged Interval **2518**

Top Logged Interval **250**

Type Fluid In Hole **Chemical**

Salinity, PPM CL **1100**

Density **9.3**

Level **Full**

Max. Rec. Temp. F **101**

Operating Rig Time **5 Hours**

Equipment -- Location **17 Hays**

Recorded By **D. Martin**

Witnessed By **Roger Martin**

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	271	8.625	23#	00	271
Two	7.875	271	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.  
 (785) 625-3858


EI Dorado, KS  
 N on 196 to NW 10 Rd.,  
 E to Oil Hill Rd., 1 N, E Into


Database File: vsshhd.db  
 Dataset Pathname: DIL/vesstck  
 Presentation Format: cdl  
 Dataset Creation: Fri Apr 27 19:24:33 2012  
 Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			

















Database File: vesshd.db  
 Dataset Pathname: DIL/vesstok  
 Presentation Format: cndlspec  
 Dataset Creation: Fri Apr 27 19:24:33 2012  
 Charted by: Depth in Feet scaled 1:240

































0	Gamma Ray	150
6	Caliper (GAPI)	16



30	CNLS	-10			
30	Compensated Density (2.71 ma)	-10			
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension	0			