



Sonic Cement Bond Log

API No.		Company Bennett & Schulte Oil Company	
15-009-25,678-00-00		Well Yarmer No. 17-1	
Location		Field Wildcat	
Sec: 17		County Barton	
Twp: 17 S		State Kansas	
Rge: 14 W		Other Services	
Permanent Datum		Ground Level	
Log Measured From		Kelly Bushing	
Drilling Measured From		Kelly Bushing	
Run Number		One	
Date Survey		04-23-2012	
Date Cementing		04-17-2012	
Type Cementing Operation		Primary	
Depth Driller		3430	
Depth Logger		3317	
Logged Interval		3316 to 2350	
Casing Driller		5.5" @ T.D.	
Float Collar -- D.V. Tool		////	
Squeeze Depth		////	
Amount & Type Cement		////	
Amount & Type Admix		////	
Type Fluid In Hole		Water	
Fluid Level		Full	
Salinity PPM CL		////	
Weight lb/gal -- Vis.		////	
Approx. Logged Cement Top		2428	
Calculated Cement Top		////	
Max. Hole Temperature		112	
Tool No.		RBT 3-5	
Spacing Recorded		3-5	
Equipment -- Location		3 Hays	
Recorded By		Stan Linenberger	
Witnessed By		Frank Schulte	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Hwy. 4 & Hwy. 281 Junction;
3 Miles North, 2 West, 1/4 South,
West Into.


Database File: bennet & schulte yarmer 17-1.db
Dataset Pathname: grcbl/pass2
Presentation Format: cbldr
Dataset Creation: Mon Apr 23 16:56:09 2012 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240




0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Amplified Amplitude (mV)	100			
			-100 10	0	Pipe Amplitude (mV)	20			














LOG-TECH

Repeat Section

Database File: bennet & schulte yarmer 17-1.db
 Dataset Pathname: grcbl/pass1.1
 Presentation Format: cbldr
 Dataset Creation: Mon Apr 23 17:22:56 2012 by Calc Std Casedhole 09061
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Amplified Amplitude (mV)	100			
			-100	10	Pipe Amplitude (mV)	20			

