



DIGITAL LOG (785) 625-3858

Borehole Compensated
Sonic Log

API No.	15-009-25,671-00-00		
Company	RJM Company		
Well	George No.1		
Field	Werner-Robl		
County	Barton		State Kansas
Location	NW SE SW NE 2100' FNL & 1750' FEL		Other Services RAG
Sec: 30	Twp: 19S	Rge: 11W	

Permanent Datum	Ground Level	Elevation 1790	K.B. 1797
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum	D.F. 1790
Drilling Measured From	Kelly Bushing		G.L. 1790

Date	4/12/2012
Run Number	Two
Type Log	BHC Sonic
Depth Driller	3398
Depth Logger	3397
Bottom Logged Interval	3386
Top Logged Interval	300
Type Fluid In Hole	Chemical
Salinity, PPM CL	7,600
Density	9.3
Level	Full
Max. Rec. Temp. F	110
Operating Rig Time	3 1/2 Hours
Equipment -- Location	17 Hays
Recorded By	C. Desaire
Witnessed By	Josh Austin

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	322	8.625	23#	00	322
Two	7.875	322	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858



Ellinwood KS, 1 1/2 N, 1/2 W, 1/4 S, E Into



Database File: rjmhd.db
Dataset Pathname: rag/rjmrage
Presentation Format: sonic
Dataset Creation: Thu Apr 12 16:54:19 2012
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	scal (GAPI)	16			LTEN (lb)	0



LSPD



















































0	Gamma Ray	150
150	Gamma Ray	300
6	scal (GAPI)	16

3350

3400

Sonic Int

5 0



140	Delta Time (usec/ft)	40
30	Sonic Porosity	-10
15000	LTEN (lb)	0

LSPD