



Green Country Wireline

GAMMA RAY
CEMENT BOND LOG
CCL/VDL

Company JONES & BUCK DEVELOPMENT
Well BP # KEC 6-3
Field PERU-SEDAN
County CHAUTAUQUA
State KANSAS

Company JONES & BUCK DEVELOPMENT
Well BP # KEC 6-3
Field PERU-SEDAN
County CHAUTAUQUA State KANSAS

Location: API #: 15-019-27121
NE SE SE SE
495' FSL & 165' FEL
SEC 6 TWP 34S RGE 12E
Permanent Datum Elevation 911'
Log Measured From
Drilling Measured From
Other Services
Elevation
K.B.
D.F.
G.L. 911'

Date	2-6-12
Run Number	1
Depth Driller	2116'
Depth Logger	1975'
Bottom Logged Interval	1974'
Top Log Interval	SURFACE
Open Hole Size	---
Type Fluid	WATER
Density / Viscosity	---
Max. Recorded Temp.	---
Estimated Cement Top	225'
Time Well Ready	---
Time Logger on Bottom	---
Equipment Number	3
Location	DEWEY
Recorded By	HERREN
Witnessed By	MR JONES
Borehole Record	
Run Number	Bit From To Size Weight From To
Casing Record	Size Wgt/Ft Top Bottom
Surface String	8.625" SURFACE 40'
Prot. String	
Production String	4.5" SURFACE TD
Liner	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments




Green Country Wireline


GAMMA RAY CEMENT BOND

Database File: bp63.db
Dataset Pathname: bp63/run1/pass1
Presentation Format: cbl_dir
Dataset Creation: Mon Feb 06 09:41:11 2012 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240



9	Collar Locator	-1	-1	Amplitude (mV)	120	200	Variable Density	120
0	Gamma Ray (GAPI) (GAPI)	60	1000	Travel Time (usec)	250			








250
300
350
400
450
500





500



550


600

650

700

750





750



800


850

900

950

1000





1000

1050

1100

1150

1200

1250

