



# Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-035-24,469-00-00

Company AAS Oil Company

Well Grainland B No.2

Field Gibson

County Cowley State Kansas

Location 330' FSL & 660' FEL

Sec: 20 Twp: 34 S Rge: 3 E

Permanent Datum Ground Level Elevation 1144

Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum

Dilling Measured From Kelly Bushing K.B. 1152  
G.L. 1144

Other Services  
DIL/MEL

Date 4/11/2012

Run Number One

Type Log CNL / CDL

Depth Driller 3464

Depth Logger 3464

Bottom Logged Interval 3443

Top Logged Interval 2200

Type Fluid In Hole Chemical

Salinity, PPM CL 2300

Density 9.2

Level Full

Max. Rec. Temp. F 111

Operating Rig Time 4 Hours

Equipment -- Location 10 Days

Recorded By D.Kerr

Witnessed By Dan Johnson

Borehole Record

Run No Bit From To Size Wgt. From To

One 12.25 00 307 8.625 23# 00 307

Two 7.875 307 TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


## Comments


Thank you for using Log-Tech, Inc.  
(785) 625-3858  
South Haven and I 35,  
West to Geuda Springs RD,  
1 North, 1 3/4 East,  
North Into


Database File: aasoil\_grainlandb\_2hd.db  
Dataset Pathname: DIL/aasstk  
Presentation Format: cdl  
Dataset Creation: Wed Apr 11 09:38:42 2012  
Charted by: Depth in Feet scaled 1:600

|   |                |     |
|---|----------------|-----|
| 0 | Gamma Ray      | 150 |
| 6 | Caliper (GAPI) | 16  |

|       |                     |       |       |            |      |
|-------|---------------------|-------|-------|------------|------|
| 30    | Compensated Density |       |       |            | -10  |
| 2     | Bulk Density        |       |       |            | 3    |
| 15000 | Line Tension        |       |       |            | 0    |
| 2.625 | DGA                 | 3.425 | -0.25 | Correction | 0.25 |
|       |                     |       |       |            | LSPD |







Database File: aasoil\_grainlandb\_2hd.db  
Dataset Pathname: DIL/aasstk  
Presentation Format: cndlspec  
Dataset Creation: Wed Apr 11 09:38:42 2012  
Charted by: Depth in Feet scaled 1:240

