



DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No. 15-135-25,351-00-00

Company American Warrior, Inc.
 Well Moore No.6-1
 Field DeWald North
 County Ness
 State Kansas

Location 1625' FNL & 1545' FWL

Sec: 1 Twp: 19S Rge: 22W

Other Services DIL

Permanent Datum Ground Level Elevation 2131
 Log Measured From Kelly Bushing 6 Ft. Above Perm. Datum
 Drilling Measured From Kelly Bushing

Elevation
 K.B. 2137
 D.F. G.L. 2131

| | |
|------------------------|------------|
| Date | 4/6/2012 |
| Run Number | One |
| Type Log | CNL / CDL |
| Depth Driller | 4253 |
| Depth Logger | 4252 |
| Bottom Logged Interval | 4231 |
| Top Logged Interval | 3500 |
| Type Fluid In Hole | Chemical |
| Salinity, PPM CL | 7.400 |
| Density Level | 9.2 |
| Level | Full |
| Max. Rec. Temp. F | 119 |
| Operating Rig Time | 2 Hours |
| Equipment -- Location | 17 Days |
| Recorded By | C. Desaire |
| Witnessed By | Jason Alm |

Borehole Record

Casing Record

| Run No. | Bit | From | To | Size | Wgt. | From | To |
|---------|-------|------|------|-------|------|------|------|
| 1 | 12.25 | 00 | 1403 | 8.625 | 24# | 00 | 1403 |
| 2 | 7.875 | 1403 | 4253 | | | | |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858


Bazine KS, W edge to Austin St,
 1 5/8 S, over bridge , N thru Cattle Grd, 1/2 W, N and W Into

Database File: c:\warrior\data\amawar_moore no.6-1\awhd.db
 Dataset Pathname: dil/awstk2
 Presentation Format: cdl
 Dataset Creation: Fri Apr 06 22:21:36 2012
 Charted by: Depth in Feet scaled 1:600

| | | |
|---|----------------|-----|
| 0 | Gamma Ray | 150 |
| 6 | Caliper (GAPI) | 16 |

| | | | |
|-------|---------------------|-------|------------|
| 30 | Compensated Density | | -10 |
| 2 | Bulk Density | | 3 |
| 15000 | Line Tension | | 0 |
| 2.625 | DGA | 3.425 | -0.25 |
| | | | Correction |
| | | | LSPD |





Database File: c:\warrior\data\amawar_moore no.6-1\awhd.db
 Dataset Pathname: dil/awstk2
 Presentation Format: cndlspec
 Dataset Creation: Fri Apr 06 22:21:36 2012
 Charted by: Depth in Feet scaled 1:240

