



DIGITAL LOG (785) 625-3858

Dual Induction Log

API No. 15-135-25,351-00-00

Company American Warrior, Inc.
Well Moore No.6-1
Field DeWald North
County Ness State Kansas

Location 1625' FNL & 1545' FWL

Sec: 1 Twp: 19S Rge: 22W

Permanent Datum Ground Level
Log Measured From Kelly Bushing
Drilling Measured From Kelly Bushing

Elevation 2131
K.B. 2137
D.F.
G.L. 2131

Table with columns: Date, Run Number, Depth Driller, Depth Logger, Bottom Logged Interval, Top Log Interval, Casing Driller, Casing Logger, Bit Size, Type Fluid in Hole, Salinity, ppm CL, Density / Viscosity, pH / Fluid Loss, Source of Sample, Rm @ Meas. Temp, Rmf @ Meas. Temp, Rmc @ Meas. Temp, Source of Rmf / Rmc, Rm @ BHT, Operating Rig Time, Max Rec. Temp. F, Equipment Number, Location, Recorded By, Witnessed By.

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Bazine KS, W edge to Austin St,
1 5/8 S, over bridge , N thru Cattle Grd, 1/2 W, N and W Into

Database File: c:\warrior\data\amawar\_moore no.6-1\awhd.db
Dataset Pathname: dil\awstk2
Presentation Format: dil2in
Dataset Creation: Fri Apr 06 22:21:36 2012
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD




1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500


















Database File: c:\warrior\data\amawar\_moore no.6-1\awhd.db  
 Dataset Pathname: dil/awstk2  
 Presentation Format: dil  
 Dataset Creation: Fri Apr 06 22:21:36 2012  
 Charted by: Depth in Feet scaled 1:240





0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

1500



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

-80


LSPD

Database File: c:\warrior\data\amawar\_moore no.6-1\awhd.db  
 Dataset Pathname: dil/awstk2  
 Presentation Format: dil  
 Dataset Creation: Fri Apr 06 22:21:36 2012  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD




3500

3550



-31

-31




3600

3650

3700

3750

3800




-31

-31

-31

-31

-31




3850

3900

3950

4000




-31


-31

-30

-30



4050  
4100  
4150  
4200  
4250



-30  
-30  
-30  
-32  
-32

