



SUPERIOR
Hays,
Kansas

FRAC
FINDER
LOG

Company PELICAN HILL OIL & GAS INC.
Well NELSON #2-7
Field
County TREGO
State KANSAS

Company PELICAN HILL OIL & GAS INC.
Well NELSON #2-7
Field
County TREGO State KANSAS

Location: API # : 15-195-22757-0000

1442' FSL & 1500' FEL

SEC 7 TWP 11S RGE 21W

Permanent Datum GROUND LEVEL Elevation 2114
Log Measured From KELLY BUSHING 9' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/DIL
MEL/SON
Elevation
K.B. 2123
D.F. 2121
G.L. 2114

Date	4/2/12
Run Number	TWO
Depth Driller	3841
Depth Logger	3844
Bottom Logged Interval	3830
Top Log Interval	3050
Casing Driller	8 5/8"@270'
Casing Logger	269'
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.4/56
pH / Fluid Loss	11.0/7.2
Source of Sample	FLOWLINE
Rm @ Meas. Temp	0.80@71F
Rmt @ Meas. Temp	0.60@71F
Rmc @ Meas. Temp	0.96@71F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	0.49@115F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	115F
Equipment Number	4010
Location	HAYS, KANSAS
Recorded By	JEFF GRONEWEG
Witnessed By	MARC DOWNING

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
RIGA, KS - 12 MILES NORTH TO RD A - 2 MILES WEST TO RD 360
2 MILES SOUTH - EAST & NORTH INTO ON NORTH SIDE OF TANK BATTERY

Database File: 408617ddn.db
Dataset Pathname: pass6.1
Presentation Format: frac
Dataset Creation: Mon Apr 02 00:45:07 2012 by Calc Open-Cased 110302
Charted by: Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	200	WWF1	1200
6	BOREID (in)	16	10 (ft3)	0		
6	CALIPER (in)	16	TBHV			
			0 (ft3)	10		






3250


3300


3350

3400

3450








0	GR (GAPI)	150	3850	ABHV	200	WWF1	1200
6	BOREID (in)	16	10 (ft3)	0			
6	CALIPER (in)	16	TBHV				
			0 (ft3)	10			




SUPERIOR
Hays,
Kansas

REPEAT SECTION

0	GR (GAPI)	150	ABHV	200	WWF1	1200
6	BOREID (in)	16	10 (ft3)	0		
6	CALIPER (in)	16	TBHV			
			0 (ft3)	10		





			3850			
0	GR (GAPI)	150	ABHV	200	WWF1	1200
6	BOREID (in)	16	10 (ft3)	0		
6	CALIPER (in)	16	TBHV			
			0 (ft3)	10		