



Green Country Wireline

GAMMA RAY
CEMENT BOND LOG
CCLVDL

Company		JONES & BUCK DEVELOPMENT					
Well		BALES # JBD 19-1					
Field		PERU-SEDAN					
County		CHAUTAUQUA					
State		KANSAS					
Location:		AP1 #: 15-019-27086					
Permanent Datum		SW SW NW NW 4125' FSL & 5115' FEL					
Log Measured From		SEC 19 TWP 34S RGE 12E					
Drilling Measured From		Elevation 941'					
		Elevation K.B. D.F. G.L. 941'					
Date	12-26-11						
Run Number	1						
Depth Driller	1213'						
Depth Logger	1168'						
Bottom Logged Interval	1167'						
Top Log Interval	SURFACE						
Open Hole Size	WATER						
Type Fluid	---						
Density / Viscosity	---						
Max. Recorded Temp.	---						
Estimated Cement Top	SURFACE						
Time Well Ready	---						
Time Logger on Bottom	3						
Equipment Number	DEWEY						
Location	HERREN						
Recorded By	MR BUCK						
Witnessed By							
Borehole Record		Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To
Casing Record	Size	Wgt/Ft	Top	Bottom			
Surface String	8.625"		SURFACE	40'			
Prot. String							
Production String	4.5"		SURFACE	TD			
Liner							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments




Green Country Wireline

GAMMA RAY CEMENT BOND

Database File: bales191.db
Dataset Pathname: bales191/run1/pass1
Presentation Format: cbl_dr
Dataset Creation: Mon Dec 26 09:28:40 2011 by Log Std Casedhole 09061





250


300


350

400

450

500





500

550

600

650

700

750

