



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Cholla Production, LLC	
15-195-22,727-00-00		Well Denison No. 2-10	
Field Wakeeney		County Trego State Kansas	
Location 1650' FNL & 1085' FWL		Other Services CNL/CDL MEL/BHCS	
Sec: 10 Twp: 11 S Rge: 23 W		Elevation	
Permanent Datum Ground Level		K.B. 2283	
Log Measured From Kelly Bushing		D.F. 2278	
Drilling Measured From Kelly Bushing		G.L. 2278	
Date	9/13/2011		
Run Number	One		
Depth Driller	3956		
Depth Logger	3954		
Bottom Logged Interval	3953		
Top Log Interval	250		
Casing Driller	8.625 @ 265		
Casing Logger	264		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2000		
Density / Viscosity	9.2 61		
pH / Fluid Loss	10.5 6.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.95 @ 80		
Rmf @ Meas. Temp	.71 @ 80		
Rmc @ Meas. Temp	1.28 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.65 @ 118		
Operating Rig Time	4 1/2 Hours		
Max Rec. Temp. F	118		
Equipment Number	91		
Location	Hays		
Recorded By	D. Kerr		
Witnessed By	Bill Goff		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Wakeeney KS, 7 North,
East Into

0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD



1000	Conductivity	0
------	--------------	---



15000	Line Tension	0
-------	--------------	---



50	Shallow Resistivity	500
50	Deep Resistivity	500





















15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500

Database File:	c:\warrior\data\cholla_denison no. 2-10\cholla_091311hd.db
Dataset Pathname:	DIL/cholstk
Presentation Format:	dil
Dataset Creation:	Tue Sep 13 21:13:57 2011
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0
					LSPD



0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0
					LSPD


Database File:	c:\warrior\data\cholla_denison no. 2-10\cholla_091311hd.db
Dataset Pathname:	DIL/cholstk
Presentation Format:	dil
Dataset Creation:	Tue Sep 13 21:13:57 2011
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
---	-----------	-----	-----	------------------	------

200 SP (mV) 0
-160 Rxo / Rt 40

0.2 Medium Resistivity 2000
0.2 Shallow Resistivity 2000
15000 Line Tension 0

LSPD




2900

2950

3000

3050




-32

-31

-31

-31




3100

3150

3200

3250

3300




-30

-30

-30

-30

-30




3350

3400

3450

3500




-30

-29

-29

-30




3550

3600

3650

3700

3750





-29

-29

-28

-28

-28



-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD