LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-183-24015-00-00

Company Bowman Oil Company
Well Jelinek #8
Field Jelinek
County Rooks State Kansas

Location
NW SE NE SE
1750' FSL / 350' FEL
Sec: 23 Twp: 9S Rge: 19W

Other Services
CNL/CDL
DIL

Elevation
K.B. 2138.6
D.F.
G.L. 2130

Permanent Datum Ground Level Elevation 2130
Log Measured From Kelly Bushing 8.6 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	3/19/2012		
Run Number	Two		
Depth Driller	3579		
Depth Logger	3582		
Bottom Logged Interval	3581		
Top Log Interval	3000		
Casing Driller	8.625 @ 238		
Casing Logger	232		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity,ppm CL	2100		
Density / Viscosity	9.4 / 59		
pH / Fluid Loss	10.5 / 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	1.30 @ 65		
Rmf @ Meas. Temp	0.98 @ 65		
Rmc @ Meas. Temp	1.76 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	0.76 @ 112		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	112		
Equipment Number	15		
Location	Hays		
Recorded By	R. Barnhart		
Witnessed By	Roger Moses		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Plainville, KS:
Hwy 183 & 18: 4 1/2W,
1N, 1W, 1/4N, W into


Database File: bowmanhd.db
Dataset Pathname: dil/bowmain
Presentation Format: micro
Dataset Creation: Mon Mar 19 01:01:02 2012
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD




3200
-33
3250
-33
3300
-34
3350
-33
3400
-30



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD