LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No. 15-183-24015-00-00

Company Bowman Oil Company

Well Jelinek #8

Field Jelinek

County Rooks State Kansas

Location NW SE NE SE 1750' FSL / 350' FEL

Sec: 23 Twp: 9S Rge: 19W

Other Services: DIL/MEL

Elevation: K.B. 2138.6 D.F. G.L. 2130

Permanent Datum	Ground Level	Elevation 2130	
Log Measured From	Kelly Bushing	8.6	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	3/19/2012		
Run Number	One		
Type Log	CNL / CDL		
Depth Driller	3579		
Depth Logger	3582		
Bottom Logged Interval	3561		
Top Logged Interval	3000		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	2100		
Density	9.4		
Level	Full		
Max. Rec. Temp. F	112		
Operating Rig Time	4 Hours		
Equipment -- Location	15 Hays		
Recorded By	R. Barnhart		
Witnessed By	Roger Moses		

Borehole Record

Run No	Bit	From	To
One	12.25	00	238
Two	7.875	238	TD

Casing Record

Size	Wgt.	From	To
8.625	23#	00	238

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Plainville, KS:
Hwy 183 & 18: 4 1/2W,
1N, 1W, 1/4N, W into


Database File:	bowmanhd.db
Dataset Pathname:	dil/bowmain
Presentation Format:	cdl
Dataset Creation:	Mon Mar 19 01:01:02 2012
Charted by:	Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25

LSPD






0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD


Database File:	bowmanhd.db
Dataset Pathname:	dil/bowmain
Presentation Format:	cndlspec
Dataset Creation:	Mon Mar 19 01:01:02 2012
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0




3100
3150
3200
3250
3300


3350
3400
3450
3500



0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0