LOG-TECH

DIGITAL LOG (785) 625-3858

Borehole Compensated Sonic Log

API No. 15-193-20,842-00-00

Company Credo Petroleum Corporation

Well Mary No.1-22

Field Wildcat

County Thomas State Kansas

Location 330' FSL & 2150' FWL

Sec: 22 Twp: 10S Rge: 35W

Other Services
CNL/CDL
MEL/DIL

Elevation
K.B. 3284
D.F.
G.L. 3279

Permanent Datum Ground Level Elevation 3279
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	3/11/2012
Run Number	Two
Type Log	BHC Sonic
Depth Driller	4920
Depth Logger	4923
Bottom Logged Interval	4912
Top Logged Interval	200
Type Fluid In Hole	Chemical
Salinity, PPM CL	7,000
Density	9.4
Level	Full
Max. Rec. Temp. F	125
Operating Rig Time	4 1/2 Hours
Equipment -- Location	17 Hays
Recorded By	C. Desaire
Witnessed By	Bruce Ard

Borehole Record

Run No.	Bit	From	To
1	12.25	00	238
2	7.875	238	4920

Casing Record

Size	Wgt.	From	To
8.625	24#	00	238

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


I-70 and Levant Exit,
13 3/4 S, W-S-W Into


Database File:	c:\warrior\data\credo_mary no.1-22\credohd.db
Dataset Pathname:	dil/crdostk
Presentation Format:	sonic
Dataset Creation:	Sun Mar 11 18:42:24 2012
Charted by:	Depth in Feet scaled 1:240


Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40	
150	Gamma Ray	300	5 0	30	SPOR	-10	
6	Caliper (GAPI)	16		15000	LTEN (lb)	0	
							LSPD






400
450
500
550
600
-73
-73
-73
-74
-77



650
700
750
800
-77
-77
-77
-77



850
900
950
1000
1050
-77
-77
-77
-75
-75



1100
1150
1200
1250
-75
-75
-75
-75



1300
1350
1400
1450
-75
-75
-75



1500
-75
1550
-75
1600
-74
1650
-74
1700
-74



1750
1800
1850
1900
-74
-74
-74
-75



1950
2000
2050
2100
2150
-74
-74
-75
-75
-75



2200
2250
2300
2350
-73
-76
-76
-76



2400
2450
2500
2550
-76
-76
-76
-76



2600
2650
2700
2750
2800
-76
-76
-76
-77
-75



2850
2900
2950
3000
-74
-74
-74
-75



3050
3100
3150
3200
3250
-74
-75
-75
-75
-75



3300
3350
3400
3450
-75
-74
-75
-75



3500
-75
3550
-75
3600
-74
3650
-75



3700
-74
3750
-74
3800
-32
3850
-32
3900
-31


3950
4000
4050
4100
-31
-31
-31
-31


4150
-31
4200
-31
4250
-31
4300
-31
4350
-31


4400
-31
4450
-30
4500
-30
4550
-30


4600
-30
4650
-30
4700
-30
4750
-30



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5 0	30	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
						LSPD