LOG-TECH

DIGITAL LOG (785) 625-3858

Dual Induction Log

API No. 15-193-20,842-00-00

Company Credo Petroleum Corporation

Well Mary No.1-22

Field Wildcat

County Thomas State Kansas

Location 330' FSL & 2150' FWL

Sec: 22 Twp: 10S Rge: 35W

Permanent Datum Ground Level Elevation 3279

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Other Services
CNL/CDL
MEL/BHCS

Elevation
K.B. 3284
D.F.
G.L. 3279

Date	3/11/2012			
Run Number	One			
Depth Driller	4920			
Depth Logger	4923			
Bottom Logged Interval	4922			
Top Log Interval	200			
Casing Driller	8.625 @ 238			
Casing Logger	237			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity,ppm CL	7,000			
Density / Viscosity	9.4 | 59			
pH / Fluid Loss	10.5 | 8.0			
Source of Sample	Flowline			
Rm @ Meas. Temp	.35 @ 64			
Rmf @ Meas. Temp	.26 @ 64			
Rmc @ Meas. Temp	.47 @ 64			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.18 @ 125			
Operating Rig Time	4 1/2 Hours			
Max Rec. Temp. F	125			
Equipment Number	17			
Location	Hays			
Recorded By	C. Desaire			
Witnessed By	Bruce Ard			

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


I-70 and Levant Exit,
13 3/4 S, W-S-W Into


Database File:	c:\warrior\data\credo_mary no.1-22\credohd.db
Dataset Pathname:	dil/crdostk
Presentation Format:	dil2in
Dataset Creation:	Sun Mar 11 18:42:24 2012
Charted by:	Depth in Feet scaled 1:600



0 Gamma Ray 150
-200 SP (mV) 0
0 Shallow Resistivity 50
0 Deep Resistivity 50
1000 Conductivity 0
15000 Line Tension 0
50 Shallow Resistivity 500
50 Deep Resistivity 500
LSPD
200
250
300
350
400
450
500
550
600
650
-57
-41
-74
-73
-73
-73
-74
-77
-77



700
750
800
850
900
950
1000
1050
1100
1150
1200
-77
-77
-77
-77
-77
-75
-75
-75
-75



1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
-75
-75
-75
-75
-75
-75
-74
-74
-74
-74



1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
-74
-74
-75
-74
-74
-75
-75
-75
-73
-76
-76


2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
-76
-76
-76
-76
-76
-76
-76
-77
-75
-74



2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
-74
-74
-75
-74
-75
-75
-75
-75
-74
-75


3450
3500
3550
3600
3650
3700
3750
3800
3850
3900
3950
-75
-75
-75
-74
-75
-74
-74
-32
-32
-31
-31


4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500
-31
-31
-31
-31
-31
-31
-31
-31
-30
-30



Database File:	c:\warrior\data\credo_mary no.1-22\credohd.db
Dataset Pathname:	dil/crdostk
Presentation Format:	dil
Dataset Creation:	Sun Mar 11 18:42:24 2012
Charted by:	Depth in Feet scaled 1:240



0
Gamma Ray
150
-200
SP (mV)
0
-160
Rxo / Rt
40
0.2
Deep Resistivity
2000
0.2
Medium Resistivity
2000
0.2
Shallow Resistivity
2000
15000
Line Tension
0
LSPD
2700
2750
2800
2850
-76
-77
-75
-74
0
Gamma Ray
150
-200
SP (mV)
0
-160
Rxo / Rt
40
0.2
Deep Resistivity
2000
0.2
Medium Resistivity
2000
0.2
Shallow Resistivity
2000
15000
Line Tension
0
LSPD


Database File:	c:\warrior\data\credo_mary no.1-22\credohd.db
Dataset Pathname:	dil/crdostk
Presentation Format:	dil
Dataset Creation:	Sun Mar 11 18:42:24 2012
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0


LSPD





4000
4050
4100
4150
-31
-31
-31
-31


4200
4250
4300
4350
4400
-31
-31
-31
-31
-31


4450
4500
4550
4600
-30
-30
-30
-30


4650
4700
4750
4800
4850
-30
-30
-30
-30
-30


4900
-30
0
Gamma Ray
150
-200
SP (mV)
0
-160
Rxo / Rt
40
0.2
Deep Resistivity
2000
0.2
Medium Resistivity
2000
0.2
Shallow Resistivity
2000
15000
Line Tension
0
LSPD