

Dual Compensated Porosity Log

(785) 625-3858

15-195-22,727-00-00

Company Cholla Production, LLC

Well Denison No. 2-10

Field Wakeeney

Trego State Kansas
County

Sec:	10	Twp:	11 S	Rge:	23 W
------	----	------	------	------	------

Other Services
DIL
MEL/BHCS
Elevation

Ground Level	Elevation 2278
Kelly Bushing	5 Ft Above Perm Datum

2283
K.B.

From Kelly Bushing

D.L. 2278

	9/
--	----

CNL / CDE	
-----------	--

[illegible]

Interval	2
----------	---

MCL	2000
-----	------

--	--

4 1/2 hours	2
2	11

[illegible]

Borehole Record

ord

From	To
------	----

[illegible]

265	395
-----	-----

--	--

--	--

--	--

--	--	--

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Wakeeney KS, 7 North,
East Into


Database File: c:\warrior\data\cholla_denison no. 2-10\cholla_091311hd.db
Dataset Pathname: DIL\cholstk
Presentation Format: cdl
Dataset Creation: Tue Sep 13 21:13:57 2011
Charted by: Depth in Feet scaled 1:600

Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150	30	Compensated Density		-10
6	Caliper (GAPI)	16	2	Bulk Density		3
			15000	Line Tension		0
			2.625	DGA	3.425	-0.25
			Correction			0.25
						LSPD











Database File: c:\warrior\data\cholla_denison no. 2-10\cholla_091311hd.db
 Dataset Pathname: DIL/cholstk
 Presentation Format: cndlspec
 Dataset Creation: Tue Sep 13 21:13:57 2011
 Charted by: Depth in Feet scaled 1:240















3950

0	Gamma Ray	150
6	Caliper (GAPI)	16



30	Compensated Neutron (Limestone)				-10
30	Compensated Density (Limestone)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0

LSPD