



Microresistivity
Log

DIGITAL LOG (785) 625-3858

API No.		Company Cholla Production, LLC	
15-195-22,727-00-00		Well Denison No. 2-10	
Field Wakeeney		County Trego State Kansas	
Location 1650' FNL & 1085' FWL		Other Services CNL/CDL DIL/BHCS	
Sec: 10 Twp: 11 S Rge: 23 W		Elevation	
Permanent Datum Ground Level		K.B. 2283	
Log Measured From Kelly Bushing		D.F. 2278	
Drilling Measured From Kelly Bushing		G.L. 2278	
Date	9/13/2011		
Run Number	Two		
Depth Driller	3956		
Depth Logger	3954		
Bottom Logged Interval	3953		
Top Log Interval	2900		
Casing Driller	8.625 @ 265		
Casing Logger	264		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	2000		
Density / Viscosity	9.2 61		
pH / Fluid Loss	10.5 6.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.95 @ 80		
Rmf @ Meas. Temp	.71 @ 80		
Rmc @ Meas. Temp	1.28 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.65 @ 118		
Operating Rig Time	4 1/2 Hours		
Max Rec. Temp. F	118		
Equipment Number	91		
Location	Hays		
Recorded By	D. Kerr		
Witnessed By	Bill Goff		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Wakeeney KS, 7 North,
East Into


Charted by: Depth in Feet scaled 1:2.10		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD






3100


3150

3200

3250

3300







3350

3400

3450

3500






3550

3600

3650

3700

3750




-29

-29

-28

-28

-28




3800

3850

3900

3950



-27

-28

-28

-28

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD
