



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company Downing-Nelson Oil Co., Inc.					
15-145-21669-00-00		Well McCoy-Pelton #2-29					
		Field Steffon					
		County Pawnee		State Kansas			
Location		NE NE SE SW 1200' FSL / 2560' FWL				Other Services DIL MEL	
Sec: 29		Twp: 20S		Rge: 20W		Elevation	
Permanent Datum		Ground Level		Elevation 2148		K.B. 2156	
Log Measured From		Kelly Bushing		8 Ft. Above Perm. Datum		D.F. 2148	
Drilling Measured From		Kelly Bushing				G.L. 2148	
Date		2/27/2012					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		4298					
Depth Logger		4300					
Bottom Logged Interval		4279					
Top Logged Interval		2600					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		4600					
Density		9.2					
Level		Full					
Max. Rec. Temp. F		119					
Operating Rig Time		4 Hours					
Equipment -- Location		15 Days					
Recorded By		R. Barnhart					
Witnessed By		Mark Downing					
Borehole Record		Casing Record					
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	1159	8.625	24#	00	1159
2	7.875	1159	4298				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Alexander, KS:
S to Co. Line, S to U Rd.,
1/2W, N into

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425 -0.25
			Correction 0.25		
			LSPD		





0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425 -0.25
			Correction 0.25		
			LSPD		

Database File: c:\warrior\data\downing-nelson_mccoy-pelton #2-29\downnelsonhd.db
Dataset Pathname: dil/dwnmain
Presentation Format: cdl
Dataset Creation: Mon Feb 27 09:26:20 2012
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			






Database File: c:\warrior\data\downing-nelson_mccoy-pelton #2-29\downnelsonhd.db
Dataset Pathname: dil/dwnmain
Presentation Format: cndlspec
Dataset Creation: Mon Feb 27 09:26:20 2012
Charted by: Depth in Feet scaled 1:240







0	Gamma Ray	150	30	Compensated Neutron (Limestone)		-10
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)		-10
			2.625	DGA	3.425	-0.25
			Correction		0.25	
			15000	Line Tension		0
						LSPD

