



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	15-163-24001-00-00		
Company	Investment Equipment, LLC		
Well	Eillers #8		
Field	Eillers		
County	Rooks	State	Kansas
Location	NE NE NW 330' FNL / 2310' FWL		
Sec: 27	Twp: 10S	Rge: 18W	
Other Services	CNL / CDL DIL		

Permanent Datum	Ground Level	Elevation 2076
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	2/15/2012	
Run Number	Two	
Depth Driller	3738	
Depth Logger	3738	
Bottom Logged Interval	3737	
Top Log Interval	2900	
Casing Driller	8.625 @ 270	
Casing Logger	278	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	3000	
Density / Viscosity	9.2	49
pH / Fluid Loss	9.5	8.8
Source of Sample	Flowline	
Rm @ Meas. Temp	1.50 @ 55	
Rmf @ Meas. Temp	1.13 @ 55	
Rmc @ Meas. Temp	2.03 @ 55	
Source of Rmf / Rmc	Charts	
Rm @ BHT	0.73 @ 113	
Operating Rig Time	3 Hours	
Max Rec. Temp. F	113	
Equipment Number	15	
Location	Hays	
Recorded By	R. Barnhart	
Witnessed By	Mark Downing	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858


Plainville, KS:
S to CC Rd., 3/4W, S into

Database File: invesequiphd.db
 Dataset Pathname: dil/invmain
 Presentation Format: micro
 Dataset Creation: Wed Feb 15 08:42:39 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD






3100

3150

3200

3250

3300




-33

-33

-33

-33

-33




3350

3400

3450

3500




-33

-33

-33

-34




3550

3600

3650

3700



-33

-33

-33

-33

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD