



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Lynn Packard	
15-007-23,813-00-00		Well Packard #1-27	
		Field Nurse Field	
		County Barber State Kansas	
Location		SW NE NW 990' FNL & 1650' FWL	
Sec: 27 Twp: 31 S Rge: 13 W		Other Services CNL/CDL MEL	
Permanent Datum Ground Level		Elevation 1567	
Log Measured From Kelly Bushing		7 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 1574 D.F. 1567 G.L. 1567	
Date	1/14/2012		
Run Number	One		
Depth Driller	4365		
Depth Logger	4369		
Bottom Logged Interval	4368		
Top Log Interval	200		
Casing Driller	8.625 @ 219		
Casing Logger	217		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	7000		
Density / Viscosity	9.4 41		
pH / Fluid Loss	10.0 10.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	.50 @ 45		
Rmf @ Meas. Temp	.38 @ 45		
Rmc @ Meas. Temp	.68 @ 45		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.19 @ 120		
Operating Rig Time	4 1/2 Hours		
Max Rec. Temp. F	120		
Equipment Number	17		
Location	Hays		
Recorded By	D. Martin		
Witnessed By	Scott Alberg		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858




Medicine Lodge, KS
9 W on River Rd., S Into




Charted by: Depth in Feet scaled 1:500




0	Gamma Ray	150
-200	SP (mV)	0



0 Shallow Resistivity 50			LSPD
0 Deep Resistivity 50			
1000 Conductivity			0
15000 Line Tension			0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	

























Database File: c:\warrior\data\lynn packard_packard #1-27\lphd.db
 Dataset Pathname: DIL\lphd
 Presentation Format: dil
 Dataset Creation: Sat Jan 14 05:37:41 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

	LSPD
--	------






2750

2800

2850

2900

2950




-30

-31

-30

-30

-31




3000

3050

3100

3150




-32

-31

-31

-31




3200

3250

3300

3350

3




-31

-31


-31

-31


-31



3400
3450
3500
3550
3600



-31
-31
-31
-31
-31




3650

3700

3750

3800




-30

-30

-30

-30




3850

3900

3950

4000

4050




-30

-30

-30

-30

-30




4100

4150

4200

4250




-27

-27


-26

-26



4300

4350



-26

-26

LSPD