



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-173-21,008-00-00

Company Lachenmayr Oil, LLC.

Well Robelli No. L-1

Field Goodrich

County Sedgwick State Kansas

Location 990' FSL & 1990' FEL

Other Services
DIL

Sec: 16 Twp: 25 S Rge: 1 E

Permanent Datum Ground Level Elevation 1438

Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum

K.B. 1447
D.F. 1438
G.L. 1438

Date 1/9/2012

Run Number One

Type Log CNL / CDL

Depth Driller 3348.5

Depth Logger 3349

Bottom Logged Interval 3328

Top Logged Interval 1950

Type Fluid In Hole Chemical

Salinity, PPM CL 2,100

Density 9.6

Level Full

Max. Rec. Temp. F 111

Operating Rig Time 3 Hours

Equipment -- Location 91 Hays

Recorded By K. Bange

Witnessed By Frank Mize

Borehole Record

Run No Bit From To Size Wgt. From To

One 12.25 00 213 8.625 23# 00 213

Two 7.875 213 TD

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Newton KS, I-135, 11 S to 101 Street (exit 19)
1/4 E, NW into


Database File: lachenmyr010912hd.db
Dataset Pathname: dil/lachstack
Presentation Format: cdl
Dataset Creation: Mon Jan 09 10:09:06 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD







Database File: lachenmyr010912hd.db
 Dataset Pathname: dil/lachstack
 Presentation Format: cndlspec
 Dataset Creation: Mon Jan 09 10:09:06 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	CNLS		-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)		-10
			2.625	DGA	3.425 -0.25	Correction 0.25

10000

Line Tension

0

