



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Chieftain Oil Company, Inc.	
15-007-23,785-00-00		Well Blevins No.1	
Field		County Barber State Kansas	
Location		SE NW SW NE 1760' FNL & 2255' FEL	
Sec: 2 Twp: 35S Rge: 11W		Other Services CNL/CDL	
Permanent Datum Ground Level		Elevation 1312	
Log Measured From Kelly Bushing		8 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 1320 D.F. 1312 G.L. 1312	
Date	11/5/2011		
Run Number	One		
Depth Driller	5447		
Depth Logger	5449		
Bottom Logged Interval	5448		
Top Log Interval	300		
Casing Driller	8.625 @ 331		
Casing Logger	332		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	6.800		
Density / Viscosity	9.3 68		
pH / Fluid Loss	9.5 8.9		
Source of Sample	Flowline		
Rm @ Meas. Temp	.35 @ 67		
Rmf @ Meas. Temp	.26 @ 67		
Rmc @ Meas. Temp	.47 @ 67		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.18 @ 130		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	130		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desai		
Witnessed By	Arden Ratzlaff	Ron Moiz	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Medicine Lodge KS, S to Kiowa turnoff,
4 E stay straight at curve, E to T,
1 N to T, E to T, S Into



Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0








0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500




























4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600








Database File: c:\warrior\data\chieftain_bleivins no.1\chieftainhd.db
Dataset Pathname: dil/chfstk
Presentation Format: dil
Dataset Creation: Sat Nov 05 18:23:41 2011
Charted by: Depth in Feet scaled 1:240






3550

3600

3650

3700




-35

-35

-35

-35




3750

3800

3850

3900

3950




-35

-35

-34

-34

-34




4000

4050

4100

4150




-34

-34

-34

-34




4200

4250

4300

4350




-34

-34

-34

-34




4400

4450

4500

4550

4600




-33

-33

-33

-33

-32




4650

4700

4750

4800




-32

-32

-32

-32




4850

4900

4950

5000

5050




-32

-32

-31

-31

-31




5100

5150

5200

5250



-31

-31

-31

-30

