



Pioneer Energy Services

# Gamma Ray Correlation Log

15-115-21428-00-00

**Company** Ventex Oil & Gas  
**Well** Meisinger No. 1-15  
**Field** Lost Springs  
**County** Marion **State** Kansas

**Location**

2040' FNL & 330' FEL

Other Services  
Perforate  
Mast Trailer

**Sec:** 15 **Twp:** 19S **Rge:** 3E

**Elevation**

**Permanent Datum** Ground Level **Elevation** 1391

**Log Measured From** Kelly Bushing **5 Ft. Above Perm. Datum**

**Drilling Measured From** Kelly Bushing

**K.B.** 1396  
**D.F.** 1395  
**G.L.** 1391

**Date** 12/4/2012

**Run Number** One

**Type Log** GRCCCL

**Depth Driller** 2601

**Depth Logger** 2565

**Bottom Logged Interval** 2563

**Top Logged Interval** 2350

**Type Fluid In Hole** Water

**Salinity, PPM CL** IIII

**Density** IIII

**Level** Full

**Max. Rec. Temp. F** 99

**Operating Rig Time** One Hour

**Equipment -- Location** 72 Hays

**Recorded By** K. Ladriagan

**Witnessed By** Gary Brunley

**Run No.** **Bit** **From** **To** **Size** **Wgt.** **From** **To**

5.5 15.5# 0 T.D.

**Borehole Record** **Casing Record**

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments

Thank you for using Pioneer Energy Services, Inc. 785.625.3858

Marion, KS., West to Pawnee Road, North to 220 Road, .5 North  
West Into.





# Main Pass

Database File: ventex\_meisinger1-15.db  
Dataset Pathname: Meisinger/sgrcbl/pass8  
Presentation Format: gr-ccl  
Dataset Creation: Tue Dec 04 14:43:05 2012 by Log SCH 111116  
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
0	lten (lb)	5000

5	Casing Collars	-4
	LSPD (ft/min)	





2550



-46

0	Gamma Ray	150
0	lten (lb)	5000

5	Casing Collars	-4
---	----------------	----

LSPD  
(ft/min)