



Pioneer Energy Services

Sector Bond / Gamma Ray
CCL Log

15-115-21428-00-00

Company Ventex Oil & Gas
Well Weisinger No. 1-15
Field Lost Springs
County Marion
State Kansas

Other Services
Perforate
Mast Trailer

Location
2040' FNL & 330' FEL
Sec: 15 Twp: 19S Rge: 3E

Permanent Datum Ground Level Elevation 1391
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 1396
D.F. 1395
G.L. 1391

Run Number	One	
Date Survey	12/4/2012	
Date Cementing	5/26/2012	
Type Cementing Operation	Primary	
Depth Driller	2601	
Depth Logger	2565	
Logged Interval	2563 to 1000	to
Casing Driller	5.5 @ T.D.	@
Float Collar -- D.V. Tool		
Squeeze Depth		
Amount & Type Cement		
Amount & Type Admix		
Type Fluid In Hole	Water	
Fluid Level	Full	
Salinity PPM CL		
Weight lb/gal -- Vis.		
Approx. Logged Cement Top	640	
Calculated Cement Top		
Max. Hole Temperature	99	
Tool No.	R-1	
Spacing Recorded	3-5	
Equipment -- Location	72	Hays
Recorded By	K. Ladrigan	
Witnessed By	Gary Brumley	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services, Inc. 785.625.3858

Marion, KS., West to Pawnee Road, North to 220 Road, .5 North West Into.





Main Pass


Database File: ventex_meisinger1-15.db
 Dataset Pathname: Meisinger/sgrcbl/pass5.1
 Presentation Format: scbl02
 Dataset Creation: Tue Dec 04 14:15:13 2012
 Charted by: Depth in Feet scaled 1:240


750	TT (usec)	70
0	GR	150
0	LTEN (lb)	2000


0	AMP (mV)	100	0	AMPAVG	150
0	AMPx5 (mV)	20	0	AMPMAX	150
0			0	AMPMIN	150
5	CCL				-1

200	VDL	1200	1	Cement Map	8
			25		75














1650


1700


1750


1800











Repeat Section

Database File: ventex_meisinger1-15.db
 Dataset Pathname: Meisinger/sgrcbl/pass4
 Presentation Format: scbl02
 Dataset Creation: Tue Dec 04 13:38:24 2012 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240

