



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-163-24,053-00-00

Company Anchor Bay Petroleum, LLC.

Well Romine SW No. 5

Field Cooper

County Rocks

State Kansas

Location

NE SW NW SW
1,705' FSL & 4,651' FEL

Other Services
DIL
MEL

Sec: 19 Twp: 10s Rge: 20W

Permanent Datum Ground Level Elevation 2157
Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Elevation
K.B. 2166
D.F.
G.L. 2157

Date

7/28/2012

Run Number

One

Type Log

CNL / CDL

Depth Driller

3830

Depth Logger

3832

Bottom Logged Interval

3811

Top Logged Interval

3000

Type Fluid In Hole

Chemical

Salinity, PPM CL

5000

Density

9.2

Level

Full

Max. Rec. Temp. F

114

Operating Rig Time

4 Hours

Equipment -- Location

108 Hays

Recorded By

J. Long

Witnessed By

Ed Glassman

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

204

8.625

24#

00

204

2

7.875

204

3830

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Ellis, North to CC Road, 2 West, 1/3 North, East Into

Database File: c:\warrior\data\anchor bay_romine sw no. 5\anchorbay_romine_sw_5hd.db
Dataset Pathname: dil/anchstck
Presentation Format: cdl
Dataset Creation: Sat Jul 28 19:46:20 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





Database File:		c:\warrior\data\anchor bay_romine sw no. 5\anchorbay_romine_sw_5hd.db	
Dataset Pathname:		dil/anchstck	
Presentation Format:		cndlspec	
Dataset Creation:		Sat Jul 28 19:46:20 2012	
Charted by:		Depth in Feet scaled 1:240	

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)	-10
			2.625	DGA	3.425
			-0.25	Correction	0.25
			15000	Line Tension	0
			LSPD		

