



DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

15-007-23,828-00-00

API No.

Company Indian Oil Company, Inc.
 Well Boonedocker No. 3
 Field Stranathan Pool
 County Barber State Kansas

Location SE SE NW SE
 1322' FSL & 1458' FEL

Sec: 6 Twp: 35 S Rge: 11 W

Other Services
 DIL

Elevation
 K.B. 1373
 D.F. 1362
 G.L. 1362

Date	2/6/2012
Run Number	One
Type Log	CNL / CDL
Depth Driller	5230
Depth Logger	5229
Bottom Logged Interval	5208
Top Logged Interval	3800
Type Fluid In Hole	Chemical
Salinity, PPM CL	3,900
Density Level	9.4
Level	Full
Max. Rec. Temp. F	130
Operating Rig Time	3 1/2 Hours
Equipment -- Location	91 Hays
Recorded By	K. Bange
Witnessed By	Scott Alberg

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	907	8.625	24#	00	907
2	7.875	907	5230				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858


Medicine Lodge, S to Hwy 2,
 1/2 E, N into (follow lease rd)

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			










Database File: c:\warrior\data\indian oil_boonedocker no. 3\indian020612hd.db
 Dataset Pathname: dil/indstck
 Presentation Format: cndlspec
 Dataset Creation: Mon Feb 06 09:13:50 2012
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Neutron (Limestone)			-10	
30	Compensated Density (Limestone)			-10	
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension			0	

















0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)	-10
			2.625	DGA	3.425
					-0.25
				Correction	0.25
			15000	Line Tension	0
					LSPD