



DIGITAL LOG (785) 625-3858

Dual Induction Log

15-007-23,828-00-00

API No.

Company Indian Oil Company, Inc.
Well Boonedocker No. 3
Field Stranathan Pool
County Barber State Kansas

Location SE SE NW SE
1322' FSL & 1458' FEL

Sec: 6 Twp: 35 S Rge: 11 W

Permanent Datum Ground Level Elevation 1362
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Other Services
CNL/CDL
Elevation
K.B. 1373
D.F.
G.L. 1362

Table with columns: Date, Run Number, Depth Driller, Depth Logger, Bottom Logged Interval, Top Log Interval, Casing Driller, Casing Logger, Bit Size, Type Fluid in Hole, Salinity, ppm CL, Density / Viscosity, pH / Fluid Loss, Source of Sample, Rm @ Meas. Temp, Rmf @ Meas. Temp, Rmc @ Meas. Temp, Source of Rmf / Rmc, Rm @ BHT, Operating Rig Time, Max Rec. Temp. F, Equipment Number, Location, Recorded By, Witnessed By.

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Medicine Lodge, S to Hwy 2,
1/2 E, N into (follow lease rd)



0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
15000	Line Tension	0




50	Shallow Resistivity	500
50	Deep Resistivity	500































Database File: c:\warrior\data\indian oil_boonedocker no. 3\indian020612hd.db
 Dataset Pathname: dil/indstck
 Presentation Format: dil
 Dataset Creation: Mon Feb 06 09:13:50 2012
 Charted by: Depth in Feet scaled 1:240






3950

4000

4050

4100




-33

-32

-33

-33




4150

4200

4250

4300

4350




-33

-32

-32

-32

-32




4400

4450

4500

4550




-32

-32

-32

-32




4600

4650

4700

4750

4800




-31

-29

-27

-28

-27




4850

4900

4950

5000




-25

-24

-24

-25




5050

5100

5150

5200



-24

-25

-26

-25

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD